



## GYXTC8S Aerial Figure 8 Fiber Optic Cable with Messenger Wire

Our Product Introduction

### Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYXTC8S
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km



### Product Specification

- Type: GYXTC8S
- Cable Type: Figure-8 Aerial Cable
- Jacket Material: PE
- Application: Aerial Installation For Long Distance Communication
- Fiber Type: Single-mode
- Highlight: Aerial Figure 8 Fiber Optic Cable Waterproof , GYXTC8S Aerial Fiber Optic Cable, GYXTC8S Aerial Fiber Cable



### More Images



for more products please visit us on [fiberoptical-cables.com](http://fiberoptical-cables.com)

## Product Description


### GYXTC8S Aerial Figure 8 Fiber Optic Cable Waterproof With Messenger Wire

#### Product Specifications

Type	GYXTC8S
Cable Type	Figure-8 Aerial Cable
Jacket Material	PE
Application	Aerial installation for long distance communication
Fiber Type	Single-mode

#### Product Description





The GYXTC8S cable features a 250µm fiber inserted into a high modulus loose tube filled with water-resistant gel. The tube is protected by a longitudinally oriented, double-sided plastic coated steel strip (PSP) with water-blocking material between the strip and tube. The cable incorporates a steel strand woven into an 8-shaped pattern, all encased in a polyethylene sheath.

#### Detail Images





Key Features

- High tensile strength steel wire strand enables self-supporting aerial deployment, reducing installation costs
- Excellent mechanical and temperature performance characteristics
- Hydrolysis-resistant loose tube material
- Special protective grease filling in the tube
- Double-coated steel strip (PSP) enhances moisture resistance
- Compact diameter, lightweight design for easy installation
- Available in long lengths with competitive pricing

Technical Parameters

Parameter	Value
Fiber Model	G.652D
Loose Tube Material	PBT
Loose Tube Diameter (±0.1mm)	1.8   2.0   2.8
Loose Tube Thickness (±0.05mm)	0.30
Water Blocking Layer	Water Blocking Tape
Armoring Material	Steel Tape
Armoring Thickness (±0.03mm)	0.2
Messenger Wire Material	Galvanized steel strand
Messenger Wire Size (±0.05mm)	2.7mm
Web Material	MDPE
Web Size (±0.1mm)	2.0 × 3.0
Outer Sheath Material	MDPE
Outer Sheath Thickness (±0.1mm)	1.2   1.5

Cable Diameter (±0.5mm)	7.0*11.5   7.3*13.5
Cable Weight (±10kg)	80   94
Minimum Bending Radius	10.0 × Cable-φ (Without Tension) 20.0 × Cable-φ (Under Maximum Tension)
Temperature Range ( )	Installation: -20 to +60 Transport & Storage: -40 to +70 Operation: -40 to +70

Company Information

NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES  
ONE-STOP SHOP

PROFESSIONAL PERSISTENCE

OEM FOR WELL-KNOW BRANDS

SUPPLIER FORTUNE 500 COMPANYS

Experiences

Sold to Countries

Cooperative Suppliers

Response Time

On-time Delivery Rate

12

90+

120+

≤ 2h

99%

COMPANY PROFILE

ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.  
The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.  
Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.





## OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



## HOT-SALE PRODUCT




## TRANSPORT&PAY



Air Freight



Land Transportation



Shipping



Delivery



And More.....



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

### Frequently Asked Questions

#### Why choose us?

We are a manufacturer located in Guangzhou, China, operating since 2011, serving domestic markets. Our factory employs 11-50 skilled professionals.

#### How do we guarantee quality?

We provide pre-production samples before mass production and conduct final inspections before shipment.

#### Can you ship to my country?

Yes, we can arrange shipping worldwide. If you don't have your own forwarder, we can assist with logistics.

#### Do you offer OEM services?

We accept all OEM orders. Contact us with your design requirements for a competitive quote and sample production.

#### What services do you provide?

Delivery Terms: FOB, CIF, EXW

Payment Options: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF

Languages: English, Chinese



**guangzhou fiber cablepuls co ltd**



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong  
province,China