



GYXTC8S Fiber Optic Cable Internet 2 4 6cores Drop FttH Outdoor Single Mode

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYXTC8S
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km



Product Specification

- Type: GYXTC8S
- Installation Method: Self-supporting
- Cable Type: Figure 8
- Application: Aerial
- Jacket Material: PE
- Cable Color: Black
- Highlight: 6cores Fiber Optic Cable, FttH Fiber Optic Cable , GYXTC8S Cable




More Images



Product Description


GYXTC8S Fiber Optic Cable Internet 2 4 6cores Frop Ftth Outdoor Cable Single Mode Products Description



GYXTC8S Fiber Optic Cable

In the GYXTC8S cable, a 250 μ m fiber is embedded in a tube constructed from a material with a high modulus, filled with a hydrophobic compound. The tube is then encased with a plastic-coated steel strip (PSP) that runs in a longitudinal direction. To ensure the cable is compact and has longitudinal water-blocking properties, a water-blocking substance is intercalated between the steel strip and the tube. The cable also contains a steel strand that is arranged in an octagonal shape, all encapsulated within a polyethylene sheath.

Detail Images



Features:

- 1.The cable's steel wire strand is endowed with a very high tensile strength, facilitating overhead self-supporting installation and reducing the costs of installation.
- 2.It has good mechanical and temperature stability.
- 3.The loose tube material is inherently resistant to hydrolysis and is strong.
- 4.The tube is filled with a special grease to ensure the fiber's protection.
- 5.The double-coated steel strip (PSP) increases the cable's resistance to moisture.
- 6.It has a small diameter and is light, making it easy to lay.
- 7.It is available in long lengths and is priced at a low cost.

Product Paramenters

Fiber Model		G.652D	
Loose Tube	Material	PBT	
	Diameter (± 0.1)mm	1.8	2.0
	Thickness (± 0.05)mm	0.30	
Water Blocking layer(Material)		Water Blocking Tape	
Armoring	Material	Steel Tape	
	Thickness (± 0.03)mm	0.2	
Messenger Wire	Material	Galvanized steel strand	
	Size (± 0.05)mm	2.7mm	
	Material	MDPE	

Web	Size (±0.1)mm	2.0 ×3.0	
Outer Sheath	Material	MDPE	
	Thickness (±0.1)mm	1.2	
Outer Sheath	Material	MDPE	
	Thickness (±0.1)mm	1.5	
Cable Diameter (±0.5)mm		7.0* 11.5	7.0*11.5
Cable Weight (±10)kg		80	80
Min. bending radius	Without Tension	10.0 ×Cable-φ	
	Under Maximum Tension	20.0 ×Cable-φ	
Temperature range ()	Installation	-20~+60	
	Transport&Storage	-40~+70	
	Operation	-40~+70	

Company Profile

NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES
ONE-STOP SHOP

PROFESSIONAL PERSISTENCE

OEM FOR WELL-KNOW BRANDS

SUPPLIER FORTUNE 500 COMPANYS

Experiences
12

Sold to Countries
90+

Cooperative Suppliers
120+

Response Time
≤ 2h

On-time Delivery Rate
99%

COMPANY PROFILE

ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001:2015, ISO14001:2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers. such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



HOT-SALE PRODUCT



TRANSPORT&PAY



And More.....



SHIPMENT



PACKAGING



TRUCK LOADING



GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China