# **GYTZA53** Double Armored Direct Buried Fiber Optic Cable 25 Year Warranty

#### **Basic Information**

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSH
Model Number: GYTZA53
Minimum Order Quantity: 2km
Price: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



# **Product Specification**

• Waterproof: Yes

• Armored Type: Double Armored

• Jacket Material: LZSH

Installation Method: Direct Buried

Armored: Aluminum And Steel

• WARRANTY: 25 Years

• Highlight: Directly Buried Fiber Optic Cable,

Flame Retardant Fiber Optic Cable,

**Buried Fiber Optic Underground Cable** 



# More Images



# **GYTZA53 Fiber Optic Cable Underground Flame Retardant Directly Buried**

#### **Product Specifications**

Waterproof	Yes
Armored Type	Double Armored
Jacket Material	LZSH
Installation Method	Direct Buried
Armored	Aluminum and Steel
WARRANTY	25 Years

#### **Product Description**

Exclusively designed for tight cable frameworks, maintaining integrity under mechanical demands including extension and bending

Loose tube features excellent hydrolysis resistance and high tensile properties, completely safeguarding enclosed fiber optics

Features wrinkle-resistant, dual-sided plastic-coated steel belt with HDPE cladding, optimized for soil burial applications

Outer PA12 nylon shield effectively deters pest damage, ensuring reliability in demanding environments

Complete core filling techniques guarantee superior water-tightness after burial

#### **Technical Parameters**

Fiber count	Stru ctur e	Fibers per tube	Loose tube diameter(mm)	CSM diameter/pad diameter (mm)	Thickness of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter (mm)	Cable Weight (kg/km)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9 +15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

# **Product Images**







# **Key Features**


Superior mechanical and thermal resistance for demanding environments

Loose tube material features strong hydrolysis resistance and robust strength

Special protective coating safeguards fibers from environmental factors

Tight cable arrangement prevents casing deformation during installation

### **Factory & Production**









## **Frequently Asked Questions**

Q1: What are the advantages of your price?

A1: We operate our own factory with professional machinery equipment. We offer competitive pricing with 1%-10%

lower than comparable products while maintaining identical quality parameters.

#### Q2: What is your quality advantage?

A2: We strictly adhere to ISO9001 quality management standards, committed to "Enough Cores, Enough Meters, High Quality, High Performance" to deliver superior products and services.

#### Q3: Do you support customized brands?

A3: Yes! We welcome OEM services and offer free logo customization for bulk orders.

#### Q4: What are the benefits of working with you?

A4: New customers receive special support, with long-term partners eligible for global agent status and additional discounted pricing.





cotton@fibercablepuls.com



925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China