

# GYTZA53 Fiber Optic Cable Underground Flame Retardant Directly **Buried**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:

- GUANGZHOU/CHINA PUNAISGD/CABLEPULS
- ISO/CE/ROSH GYTZA53
- 2km

- Supply Ability:
- negotiate Wooden Spool /drum
- 5-25 days 30% TT as deposit, 70% Balance before shipping 100km



# **Product Specification**

- Waterproof:
- Armored Type:
- Jacket Material:
- Installation Method:
- Armored:
- WARRANTY:
- Highlight:
- Yes **Double Armored** LZSH **Direct Buried**
- Aluminum And Steel
- 25 Years
- **Directly Buried Fiber Optic Cable**, Flame Retardant Fiber Optic Cable, **Buried Fiber Optic Underground Cable**



### More Images



for more products please visit us on fiberoptical-cables.com

### GYTZA53 Fiber Optic Cable Flame Retardant Underground Cable Directly Buried Products Descriptions

1. Exclusively designed for a tight cable framework, maintaining integrity under mechanical demands such as extension and bending.

2. The loose tube possesses excellent hydrolysis resistance and high tensile properties, completely safeguarding the enclosed fiber optics.

3. Adorned with a wrinkle-resistant, dual-sided plastic-coated steel belt and clad in HDPE, perfect for soil burial applications.

4. The outermost PA12 nylon shield effectively deters pest damage, ensuring the cable's reliability in specific uses.

5. Complete core filling techniques are utilized to guarantee the cable's water-tightness after burial.

#### **Produc Paraments**

Fiber count	Structur e	Fibers per tube	Loose tube diamete r(mm)	CSM diameter /pad diamete (mm)	Thicknes s of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter (mm)	Cable Weight (kg/km)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383






#### Features

Displays superior mechanical and thermal resistance. The material of the loose tube is inherently equipped with strong hydrolysis resistance and robust strength. The tube is smeared with a special substance to protect the fiber from environmental factors. The cable's tight arrangement is created to prevent casing from drawing in.

Learn more about our products and factory





### **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**



oating

Color Fiber Testing

A Stranded Loose Tube









### FAQ:

Q1: What are the advantages of your price?

A1: We have our own factory, professioanl machinery equipment . We can meet the price advantage of products with the same quality parameters, and we promise to achieve a price of 1%-10% lower than that of our peers. Q2: What is your quality advantage?

A2: We strictly according to the ISO9001 quality management system, insisting "Enough Cores, Enough Meters, High Quality, High Performance". Providing our customers with higher quality products and services. Q3. Do you support customized brands?

<ul> <li>A3: Yes! The professional OEM services will be welcomed to us. Our factory accepts to make the logo free for bulk orders.</li> <li>Q4: What are the benefits of working with you?</li> <li>A4: New customers can support long-term cooperative customers to upgrade to global agents and enjoy more discounted prices.</li> </ul>								
guangzhou fiber cablepuls co ltd								
+8613687956 925-926, Building B1, No	6390 Socotton@fibercablepuls.com  fiberoptical-cables.com							
323-320, building D1, NC	province, China							