



GYFTS53 Fiber Optic Cable GYFTS53 Double Jacket Double Armoured

Our Product Introduction


Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFTS53
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km




Product Specification

- Type: GYFTS53
- Moisture Resistant: Yes
- Temperature Rating: -40°C To 90°C
- Application: Underground
- Jacket Material: PE
- Fiber Count: 72 Cores
- Highlight: GYFTS53 Fiber Optic Cable,
Double Jacket Fiber Optic Cable,
Double Armoured Fiber Optic Cable



More Images



for more products please visit us on fiberoptical-cables.com

Product Description


GYFTS53 Fiber Optic Cable Hot Selling Cable GYFTS53 Double Jacket Double Armoured

Product description



The core of the GYFTS53 cable is centered around a fiberglass-reinforced polymer (FRP) for its strength. The surrounding loose tube, along with its filler rope, is coiled tightly around this central core, creating a dense and cylindrical cable structure. The spaces within this structure are occupied by a water-blocking substance. A steel strip coated with plastic is then spirally wrapped and covered with a layer of polyethylene to form the inner sheath. The cable is further strengthened by wrapping a double-sided plastic-coated steel strip longitudinally, followed by the extrusion of a polyethylene sheath.

Product Details



Product Features

- Exhibits excellent mechanical strength and thermal stability.
- Features a robust, hydrolysis-resistant loose tube design.
- Utilizes a specialized filling compound for fiber optic protection.
- Equipped with a UV-resistant polyethylene sheath.
- Demonstrates strong crush resistance, suitable for duct and burial applications.
- Incorporates a single steel wire for central reinforcement.

Employs a unique filling material for fiber optic safeguarding.
Ensures complete cable fill with no gaps.
Implements an effective water-blocking mechanism to prevent vertical sinking.

Product Paraments

| Fiber count | Structure | Fibers per tube | Loose tube diameter (mm) | CSM diameter/pas d diameter (mm) | Thicknes of inner jacket (mm) | Thickness of outer jacket (mm) | Cable diameter (mm) | Cable Weigh t(kg/k m) |
|-------------|-----------|-----------------|--------------------------|----------------------------------|-------------------------------|--------------------------------|---------------------|-----------------------|
| 4 | 1+6 | 4 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 6 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 8 | 1+6 | 4 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 12 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 18 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 165 |
| 24 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 165 |
| 30 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 166 |
| 36 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 166 |
| 48 | 1+6 | 12 | 2.0+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 13.8 ± 0.5 | 191 |
| 60 | 1+6 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 13.8 ± 0.5 | 191 |
| 72 | 1+6 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 13.8 ± 0.5 | 192 |
| 84 | 1+7 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 14.7 ± 0.5 | 218 |
| 96 | 1+8 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 15.4 ± 0.5 | 234 |
| 108 | 1+9 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 16.1 ± 0.5 | 253 |
| 120 | 1+10 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 16.8 ± 0.5 | 272 |
| 132 | 1+11 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 17.4 ± 0.5 | 293 |
| 144 | 1+12 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 18.2 ± 0.5 | 317 |
| 288 | 1+9+15 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 20.1 ± 0.5 | 383 |

Learn more about our company and factory


NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES ONE-STOP SHOP


 **PROFESSIONAL PERSISTENCE**


 **OEM FOR WELL-KNOW BRANDS**

 **SUPPLIER FORTUNE 500 COMPANYS**

 **Experiences**
12

 **Sold to Countries**
90+

 **Cooperative Suppliers**
120+

 **Response Time**
≤ 2h

 **On-time Delivery Rate**
99%

COMPANY PROFILE


ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd


Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



▲ Color Coating

▲ Color Fiber Testing

▲ Fiber to Loose Tube

▲ Stranded Loose Tube

▲ PE Sheath Coated

▲ Finished Cable Testing



HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%).

There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow;

Language Spoken: English, Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China