



guangzhou fiber cablepuls co ltd
fiberoptical-cables.com



Fiber Optic Direct Buried Cable Outdoor Underground GYFTS53

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFTS53
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km




Product Specification

- Type: GYFTS53
- Moisture Resistant: Yes
- Temperature Rating: -40°C To 90°C
- Application: Underground
- Jacket Material: PE
- Fiber Count: 72 Cores
- Highlight: **Fiber Optic Direct Buried Cable,
Underground Direct Buried Cable,
Direct Buried Cable GYFTS53**



More Images



Product Description

GYFTS53 Fiber Optic Cable Outdoor Cable GYFTS53 Direct Buried Underground Cable

Product description

At the nucleus of the GYFTS53 fiber optic cable is an FRP rod that serves as its reinforcing member. The cable's core is meticulously wound with a loose tube and filler rope to achieve a compact, round form, with water-blocking filler occupying any voids. A longitudinally wrapped plastic-coated steel strip is then encased in a polyethylene sheath. The cable is completed by the longitudinal wrapping of a double-sided plastic-coated steel strip, which is also extruded with a polyethylene sheath.



Product Details



Product Features

- Displays outstanding mechanical resilience and temperature tolerance.
- Houses a durable, hydrolysis-resistant loose tube.
- Contains a proprietary compound for fiber optic integrity.
- Protected by a polyethylene sheath that shields against UV exposure.
- Offers exceptional crush resistance for duct and direct burial.
- Anchored by a single steel wire as the central strength element.
- Filled with a special compound critical to fiber optic preservation.
- Fully packed to eliminate any internal voids.

Equipped with a water-blocking tape to avert vertical descent

Product Paraments

Fiber count	Structure	Fibers per tube	Loose tube diameter(mm)	CSM diameter/pas d diameter (mm)	Thicknes of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter(mm)	Cable Weigh t(kg/k m)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Learn more about our company and factory

NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES
ONE-STOP SHOP

PROFESSIONAL PERSISTENCE

OEM FOR WELL-KNOW BRANDS

Experiences12

Sold to Countries90+

Cooperative Suppliers120+

Response Time≤ 2h

On-time Delivery Rate99%

COMPANY PROFILE


ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd


Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



▲ Color Coating

▲ Color Fiber Testing

▲ Fiber to Loose Tube

▲ Stranded Loose Tube

▲ PE Sheath Coated

▲ Finished Cable Testing



HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow;

Language Spoken: English, Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China