

Double Jacket Direct Burial Fiber Optic Cable Underground For Communication

Basic Information

- Place of Origin:
- GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS ISO/CE/ROSH Certification: GYFTS53 Model Number: • Minimum Order Quantity: 2km • Price: negotiate Wooden Spool /drum · Packaging Details: • Delivery Time: 5-25 days • Payment Terms: 30% TT as deposit, 70% Balance before shipping

100km



Product Specification

- Type:
- Moisture Resistant:

• Supply Ability:

- Temperature Rating:
- Application:
- Jacket Material:
- Fiber Count:
- Highlight:

GYFTS53 Yes -40°C To 90°C Underground

- PE
- 72 Cores
- Underground Double Jacket Fiber Optic Cable, Underground Direct Burial Fiber Optic Cable, Communication Direct Burial Fiber Optic Cable



More Images



GYFTS53 Fiber Optic Cable Double Jacket Cable For Communication

Product description

The central strength of the GYFTS53 cable emanates from an FRP rod at its core. The cable's construction involves tightly twisting a loose tube and filler rope around this central member, filling any gaps with a water-blocking material. Subsequently, a plastic-coated steel strip is spirally wound and extruded with a polyethylene sheath. The final step in the cable's formation is the longitudinal wrapping of a double-sided plastic-coated steel strip, also extruded with a polyethylene sheath.



Product Details



Product Features

Provides exceptional mechanical performance and temperature endurance. Enclosed by a high-strength, hydrolysis-resistant tube. Infused with a unique filling compound for fiber protection. Wrapped in a polyethylene sheath that offers UV protection. Capable of withstanding compression, fitting for duct and underground use. Centered around a single steel wire for structural support. Enriched with a special filling compound for fiber optic security. Packed to the brim, leaving no room for air pockets. Furnished with a water-blocking tape to counteract vertical sinking.

FIUU	luct Pa	laine		0.014				
Fiber count	Structure	Fibers per tube	Loose tube diameter(CSM diameter/pa d diameter (mm)	Thicknes is of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diamet er(mm	t(kg/k
4	1+6	4	mm) 1.7+0.1	1.8 /1.8	0.9 ± 0.1	(1111) 1.8 ± 0.1) 12.8 ± 0.5	m) 164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Product Paraments

Learn more about our company and factory



COMPANY PROFILE



ABOUT FIBER Guangzhou fiber cablepuls co., Itd

Fiber cableputs is one of the high tech fiber optic cable factories in China that can pro duce the most complete series of fiber optic cables, equipped with the most advances fiber optic cable manufacturing, and have the most advanced fiber optic connector pro duction and testing equipment in China.

The tactory has obtained sci5 to 100001-2019, to 110001-2004 and coll (20001-2009) successively obtained international system certification. Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the work, and have received unanimous prate from caisomers, such as foreign telecom dispatiments of the United States, Mexico Telecom, Thalamar Telecom, Philippines Telecom, etc., demostic cas tomers include. China Mobile, the General Administration of Radio, Film and Television.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.Can you send products to my country? Sure, we can. If you do not have your own ship forwarder, we can help you. 4. Can you do OEM for me? We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you. 5. what services can we provide? Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese

	Sector g	uangzhou fiber cablepuls	co l	itd
C	+8613687956390	cotton@fibercablepuls.com	e	fiberoptical-cables.com
925-926, B	uilding B1, No. 2 Chuan	ghui Avenue, Yonghe Yushan Interr province,China	atior	nalGuangzhou city,Guangdong