

Fiber Optic Underground Direct Buried Cable FRP Strength Member GYFTS53

Basic Information

- Place of Origin:
- GUANGZHOU/CHINA
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- · Packaging Details:
- Delivery Time:
- Payment Terms:

PUNAISGD/CABLEPULS ISO/CE/ROSH

- 2km

- Supply Ability:
- GYFTS53 negotiate Wooden Spool /drum 5-25 days 30% TT as deposit, 70% Balance before shipping 100km



Product Specification

- Type:
- Moisture Resistant:
- Temperature Rating:
- Application:
- Jacket Material:
- Fiber Count:
- Highlight:

GYFTS53 Yes -40°C To 90°C Underground ΡE

- 72 Cores
- FRP Direct Buried Cable, FRP Underground Direct Buried Cable, FRP Fiber Optic Underground Cable



More Images



GYFTS53 Fiber Optic Cable Underground Directly Buried Cable FRP Strength Member

Product description

The FRP rod is the central pillar of strength within the GYFTS53 cable's core. The cable is crafted by tightly winding a loose tube and filler rope around this rod, ensuring a compact, round shape with water-blocking filler in the interstices. A steel strip, coated with plastic, is then spirally wrapped and extruded with a polyethylene sheath. The process concludes with the longitudinal wrapping of a double-sided plastic-coated steel strip, followed by the application of a polyethylene sheath.



Product Details



Product Features

Showcases superior mechanical properties and temperature adaptability. Encased in a resilient, hydrolysis-resistant loose tube. Enhanced by a specialized filling compound for fiber safeguarding. Enveloped in a UV-protective polyethylene sheath. Boasts impressive crush resistance, ideal for duct and burial settings. Fortified by a single steel wire at its core. Includes a distinctive filling compound for fiber optic defense. Totally filled, precluding the presence of air gaps. Features a water-blocking tape to prevent sinking during vertical installation

FIUU					Thickness	Thiskness	Cable	
Fiber count	Structure	Fibers per tube	Loose tube diameter(mm)	CSM diameter/pa d diameter (mm)	Thicknes s of inner jacket (mm)	Thickness of outer jacket (mm)	diamet er(mm)	
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Product Paraments

Learn more about our company and factory



COMPANY PROFILE



ABOUT FIBER Guangzhou fiber cablepuls co., Itd

Fiber cableputs is one of the high tech fiber optic cable factories in China that can pro duce the most complete series of fiber optic cables, equipped with the most advances fiber optic cable manufacturing, and have the most advanced fiber optic connector pro duction and testing equipment in China.

The tactory has obtained sci5 to 100001-2019, to 110001-2004 and coll (20001-2009) successively obtained international system certification. Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the work, and have received unanimous prate from caisomers, such as foreign telecom dispatiments of the United States, Mexico Telecom, Thalamar Telecom, Philippines Telecom, etc., demostic cas tomers include. China Mobile, the General Administration of Radio, Film and Television.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory. 2. how can we guarantee quality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.Can you send products to my country? Sure, we can. If you do not have your own ship forwarder, we can help you. 4. Can you do OEM for me? We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you. 5. what services can we provide? Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese

	Sector g	uangzhou fiber cablepuls	co l	itd
C	+8613687956390	cotton@fibercablepuls.com	e	fiberoptical-cables.com
925-926, B	uilding B1, No. 2 Chuan	ghui Avenue, Yonghe Yushan Interr province,China	atior	nalGuangzhou city,Guangdong