Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: GYFTS53 Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

. Type: GYFTS53 Moisture Resistant: Yes

· Application: Underground

PΕ Jacket Material:

· Color: Black/Customized Steel Tape

• Armoring: • Highlight: Armor Jacket Fiber Optic Cable,

Fiber Optic Underground Cable G652D, **Underground Armored Fiber Optic Cable**



More Images



Our Product Introduction

Product Description

GYFTS53 Fiber Optic Cable Best Price Underground Cable Armor Jacket G652D Cable

Product description

The GYFTS53 cable's core is reinforced by an FRP rod at its center. The cable's construction involves winding a loose tube and filler rope tightly around this rod to achieve a compact, round shape, with water-blocking filler in the interstices. A plastic-coated steel strip is then spirally wrapped and extruded with a polyethylene sheath. The final step is the longitudinal wrapping of a double-sided plastic-coated steel strip, also extruded with a polyethylene sheath.





Product Details



Product Features

Presents remarkable mechanical robustness and thermal stability.

Enclosed in a durable, hydrolysis-resistant tube.

Utilizes a distinctive filling compound for fiber optic safeguarding.

Wrapped in a polyethylene sheath that offers UV protection.

Offers exceptional crush resistance, fitting for duct and direct burial.

Supported by a single steel wire at its core.

Contains a unique filling compound for fiber optic security.

Completely filled to preclude any air gaps.


Features a water-blocking tape to counteract sinking during vertical operations.

Product Paraments

			-	,				
Fiber count	Structure	ner	Loose	CSM	Thicknes	Thickness	Cable	Cable
			tube	diameter/pa	s of inner	of outer	diamet	Weigh
			diameter(d diameter	jacket	jacket	er(mm	t(kg/k
			mm)	(mm)	(mm)	(mm))	m)
	,	,					,	,

± 164 ± 164 ± 164 ± 164 ± 165 ± 165
± 164 ± 164 ± 165 +
± 164 ± 165
± 165
+ 165
±
⁻ 165
[±] 166
[±] 166
[±] 191
± 191
[±] 192
[±] 218
[±] 234
± 253
± 272
[±] 293
[±] 317
[±] 383

Learn more about our company and factory





HOT-SALE PRODUCT





1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%).

There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China