



guangzhou fiber cablepuls co ltd
fiberoptical-cables.com



GYFTS53 Fiber Optic Direct Buried Cable Stranded Loose Tube Non Metallic

Our Product Introduction

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFTS53
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km



Product Specification

- Type: GYFTS53
- Moisture Resistant: Yes
- Temperature Rating: -40°C To 90°C
- Application: Underground
- Jacket Material: PE
- Fiber Count: 72 Cores
- Highlight: Loose Tube Direct Buried Cable,
Stranded Tube Direct Buried Cable,
Non Metallic Direct Burial Wire



More Images



for more products please visit us on fiberoptical-cables.com

Product Description

GYFTS53 Fiber Optic Cable Stranded Loose Tube Non-Metallic Strength Member

Product description

At the core of the GYFTS53 cable is an FRP rod that serves as the central strength member. The cable's core is tightly wound with a loose tube and filler rope to form a compact, round structure, with water-blocking filler filling any gaps. A plastic-coated steel strip is spirally wrapped and then sheathed in polyethylene. The cable is finished by the longitudinal wrapping of a double-sided plastic-coated steel strip, also extruded with a polyethylene sheath.



Product Details



Product Features

- Ensures outstanding mechanical performance and temperature resistance.
- Houses a high-strength, hydrolysis-resistant tube.
- Incorporates a unique filling compound for fiber optic security.
- Covered with a polyethylene sheath that resists UV exposure.
- Capable of withstanding significant compression, suitable for duct and burial.
- Anchored by a single steel wire for central strength.
- Utilizes a special filling compound for fiber optic defense.
- Fully filled to eliminate any air pockets.

Features a water-blocking tape to inhibit sinking during vertical installation.

Product Paraments

Fiber count	Structure	Fibers per tube	Loose tube diameter(mm)	CSM diameter/pas d diameter (mm)	Thicknes of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter(mm)	Cable Weigh t(kg/k m)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Learn more about our company and factory

NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES ONE-STOP SHOP



PROFESSIONAL PERSISTENCE


OEM FOR WELL-KNOW BRANDS


Experiences


Sold to Countries


Cooperative Suppliers


Response Time


On-time Delivery Rate


SUPPLIER FORTUNE 500 COMPANYS

12

90+

120+

≤ 2h

99%

COMPANY PROFILE




ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd


Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



▲ Color Coating



▲ Color Fiber Testing



▲ Fiber to Loose Tube



▲ Stranded Loose Tube



▲ PE Sheath Coated



▲ Finished Cable Testing



HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow;

Language Spoken: English, Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China