



GCYFY fber optic cable for communication with non-metallic strength member

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: **GCYFY** Model Number:

• Minimum Order Quantity: 2km • Price: negotiate

 Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

GCYFY Model: Jacket: PΕ • Fibers: G652D

· Application: Telecomunication · Color: Blcack Or Customized

Duct /aerial • Use:

• Highlight: gcyfy duct fiber optic cable,

gcyfy outdoor fiber optic cable, g652d duct fiber optic cable




More Images



GCYFY Outdoor Fiber Optic Cable

Products Description

GCYFY is endowed with a simple structural composition, integrating FRP as its main reinforcement with a high modulus. The outer casing, crafted from PBT, is of a reduced size. The stranding technique is used to wind the casing or filler strip around the FRP, creating the cable's core, and then it is sheathed.



Product Details

Features:

- 1. The cable's design, free of metal, successfully prevents radio-frequency and electromagnetic interference.
- 2. The cable structure is compact and specifically designed to prevent the tube from retracting.
- 3. The cable's tensile strength is enhanced by the inclusion of an Aramid reinforcing element.
- 4.The loose tube is filled with a special grease to ensure the waterproof performance of the optical cable.
- 5. The cable is known for its good softness.



Cable structure

Fiber Counts:48 Cores/customized Fiber Type:G652D/G657A1 Structure: Loose tube Stranded

Jacket material:HDPECable Length:1km~5km/roll

Operation Temperature:-40 ~+70

Product Paramenters

Core s	Cores/ tube	FRP diameter (mm)	Sheath thickness (mm)	Approx. overall diameter (mm)	Approx.weight (kg/km)
12	12	1.2	0.5±0. 1	5.6	24
24	12	1.2	0.5±0. 1	5.6	24
48	12	1.2	0.5±0. 1	5.6	24
72	12	1.2	0.5±0. 1	5.6	24
96	12	2.3	0.5±0. 1	6.8	38

Learn more about our products and factory


















12

90+

120+

≤ 2h

99%





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM






HOT-SALE PRODUCT















And More.....



















SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China