# ASU Outdoor Fiber Optic Cable Single-mode G652D for

## **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

ASU Model Number: • Minimum Order Quantity: 2km • Price: negotiate


Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



## **Product Specification**

ASU • Type:

• Fiber Type: Single-mode

Singlemode G652D Mode:

FTTX · Useful:

Jacket: Single Jacket

• Uv Resistance:

• Highlight: g652d duct fiber optic cable,

g652d outdoor fiber optic cable



## More Images




## **ASU Optic Cable - Aerial All Dielectric Self Supporting Cable**

## **Product Specifications**


Attribute	Value
Туре	ASU
Fiber Type	Single-mode
Mode	Singlemode G652D
Useful	FTTX
Jacket	Single Jacket
UV Resistance	Yes

## **ASU Outdoor Optic Fiber Cable**



The ASU Cable is a Self-Supported Optical Cable designed for both urban and rural network installations, available in lengths of 80 or 120 meters. Its FRP strength member serves as a non-conductive load-bearing component, preventing electrical discharges. The cable's design eliminates the need for guy wires or grounding, making installation straightforward and efficient.

## Cable Structure





Polyethylene Outer Layer: Protects against environmental impacts and enhances durability

FRP Load-Bearing Members: Provide structural integrity while preventing electrical discharges

Ease-of-Installation Cord: Enables hassle-free and quick deployment

 $\textbf{Fiber Protection Gel:} \ \textbf{Safeguards fibers and facilitates smoother installation}$ 

Adaptable Inner Tubing: Allows fiber movement while ensuring safety during installation


Light Transmission Fibers: Core components optimized for efficient signal propagation over long distances

## **Technical Parameters**

Item	Parameters
Loose tube	Material: PBT
Central Strength Member	Material: FRP
Outer jacket	Out Diameter: 6.8±0.2
	Material: HDPE with UV protection
	Color: Black

## **Our Manufacturing Facility**







## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





## **HOT-SALE PRODUCT**





## TRANSPORT&PAY

































SHIPMENT ⇒ F

PACKAGING

TRUCK LOADING -

**GOODS RECEIPT** 

## **Frequently Asked Questions**

## Why choose us?

We are the manufacturer located in Guangzhou, China, operating since 2011. We primarily serve the domestic market with a team of 11-50

professionals dedicated to quality fiber optic cable production.

#### How can we guarantee quality?

We implement strict quality control measures including pre-production samples and final inspection before shipment to ensure product

#### Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own shipping forwarder, we can assist with logistics arrangements.

#### Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements and we'll provide competitive pricing and samples.

#### What services can we provide?

We offer flexible delivery terms (FOB, CIF, EXW), accept multiple currencies (USD, EUR, JPY, etc.), and various payment methods (T/T, L/C, PayPal, etc.). Our team communicates in both English and Chinese.





+8613687956390



cotton@fibercablepuls.com



e fiberoptical-cables.com

 $925-926, Building\ B1,\ No.\ 2\ Chuanghui\ Avenue,\ Yonghe\ Yushan\ International Guangzhou\ city, Guangdong$ province,China