ISO/CE/ROSH · Certification:

ASU Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

Aerial ASU Fiber Optic Cable Non Metallic FRP Strength Member **Outdoor**

shipping

100km • Supply Ability:



Product Specification

ASU • Type:

• Fiber Type: Single-mode

Mode: Singlemode G652D

FTTX · Useful:

Jacket: Single Jacket

• Laying Method: Aerial

. Highlight: Non Metallic ASU Cable,

FRP Aerial Fiber Optic Cable, **ASU Fiber Optic Cable FRP**




More Images



Our Product Introduction

ASU Fiber Optic Cable Non-Metallic Strength Member Outdoor Cable Aerial ASU Outdoor Optic Fiber Cable



The ASU Cable, a Self-Supported Optical Cable, is designed for device connection, ideal for urban and rural network setups with lengths of 80 or 120 meters. It includes a FRP strength member for traction to prevent electrical discharges and is easy to install, without the need for guy wires or grounding.

Product Details



Cable structure

- 1.PE outsheath: The cable is enclosed in a PE protective enclosure, which shields it from environmental stress and prolongs its service life.
- 2.FRP: FRP strength members are integrated into the cable, offering non-conductive reinforcement and electrical safety.
- 3.Installation Facilitator Cord: The installation facilitator cord is included for a rapid and straightforward cable deployment.
- 4. Fiber Insulating Gel: A fiber insulating gel is used within the cable to protect the fibers and ease the installation process. 5. Movable Inner Tubing: The movable inner tubing of the cable allows for fiber movement, enhancing the fibers' protection and flexibility.
- 6. Information-Carrying Fibers: The information-carrying fibers are the primary components for light signal transmission,

Product Paraments

Item		Parameters
Loose tube	Material	PBT
Central Strength Member	Material	FRP
	Out Diameter	6.8±0.2
Outer jacket	Material	HDPE -UV protection
Cator jacket	Color	Black

More About Our Factory











OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT

































TRUCK LOADING



GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China