



GYTA Outdoor Fiber Optic Cable Aluminum Armored G652D/B

Basic Information

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

• Certification: ISO/CE/ROSH

Model Number: GYTAMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

• Item: GYTA

Outdoor: Outdoor Fiber Optic Cable

• Fiber: G652D OR G652B

Jacket Material: PEStrength Member: SteelArmored: Aluminum

• Highlight: Aluminum Strip Armoured Cable,

Outdoor Fiber Optic Cable GYTA, Aluminum Strip Fiber Optic Cable



More Images



Communication Outdoor Fiber Optic Cable GYTA Aluminum Strip Armoured Cable


Product Specifications

Attribute	Value
Item	GYTA
Outdoor	Outdoor Fiber Optic Cable
Fiber	G652D OR G652B
Jacket Material	PE
Strength Member	Steel
Armored	Aluminum

GYTA Outdoor Fiber Optical Cable

GYTA Armored Loose Tube Single Jacket/Single Armor fiber optic cables are engineered to deliver a high number of fibers while maintaining the adaptability and range of options necessary for the most challenging installations, including ducts and subterranean channels.





Key Features

Low dispersion and minimal attenuation for superior signal clarity


Precision design controlling fiber excess length and stranding for enhanced mechanical and environmental performance

Armored with corrugated steel tape for excellent moisture and crush resistance


Compact size and lightweight design for easy installation

Rated for operation in temperatures from -40°C to +60°C

Cable Structure



GYTA Fiber Optic Cable



Fiber: 2-288 fiber, Multi-loose tube gel-filled

Central Strength Member: Fiberglass reinforced Plastic (FRP) or steel wire

Armor: Aluminum Tape Armor


Outer Jacket: Black UV Polyethylene(PE)

Product Parameters

Fiber count	Struc	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm)	Nominal thickness of outer jacket (mm)	Cable diameter/Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+ 12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+ 15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Our Factory







HOT-SALE PRODUCT







Frequently Asked Questions
Why choose us?

We are manufacturer located in Guangzhou, China, operating since 2011, serving domestic markets. Our factory employs 11-50 skilled professionals.

How can we guarantee quality?

We conduct pre-production samples before mass production and final inspection before shipment to ensure quality standards.

Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own shipping forwarder, we can assist with logistics.

Can you do OEM for me?

 $We \ accept \ all \ OEM \ orders. \ Contact \ us \ with \ your \ design \ requirements \ and \ we'll \ provide \ competitive \ pricing \ and \ samples.$

What services can we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China