for more products please visit us on fiberoptical-cables.com

CRITIFICATIS LITY AND QUALITY COMPRCE STITISM (I) (II) (II) (III) (IIII) (III) (III) (III) (III) (III) (III) (III) (II

GYTA Armored Outdoor Fiber Optic Cable 4-24 Cores PE Jacket

Basic Information

Place of Origin: GUANGZHOU/CHINA
 Brand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSH
Model Number: GYTA
Minimum Order Quantity: 2km
Price: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

• Item: GYT/

Outdoor: Outdoor Fiber Optic CableFiber: G652D OR G652B

Jacket Material: PEStrength Member: SteelArmored: Aluminum

Highlight: 4 Cores Outdoor Fiber Optic Cable,
 Multimode Outdoor Fiber Optic Cable,
 Armoured GYTA Cable



More Images



Product Description

GYTA Armoured Multimode Fiber Optic Cable (4-288 Cores)

Product Specifications

Attribute	Value
Item	GYTA
Environment	Outdoor
Fiber Type	G652D OR G652B
Jacket Material	PE
Strength Member	Steel
Armor Type	Aluminum

Product Overview

GYTA Armored Loose Tube Single Jacket/Single Armor fiber optic cables are engineered for high fiber counts, offering exceptional flexibility and durability for demanding installations in ducts and underground conduits.





Key Features

Reduced dispersion and attenuation for superior signal clarity


Precision-engineered fiber excess length control and stranding process

Corrugated steel tape armor provides excellent moisture and crush resistance

Compact diameter and lightweight design for easy installation

Wide operating temperature range (-40°C to +60°C)

Cable Construction



GYTA Fiber Optic Cable



Fiber: 2-288 fiber multi-loose tube gel-filled

Central Strength Member: Fiberglass reinforced plastic (FRP) or steel wire

Armor: Aluminum tape armor

Outer Jacket: Black UV Polyethylene (PE)

Technical Parameters

Fiber count	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm)	Nominal thickness of outer jacket (mm)		Cable diameter/Height (
4	1+5	4	1.8±0.1	1.4/1.4	1.4		9.0±0.3
6	1+5	6	1.9±0.1	1.4/1.4	1.4		9.0±0.3
8	1+5	8	1.9±0.1	1.4/1.4	1.4		9.0±0.3
12	1+5	6	1.9±0.1	1.4/1.4	1.4		9.0±0.3
24	1+5	6	1.9±0.1	1.4/1.4	1.4		9.0±0.3
36	1+6	12	2.2±0.1	1.6/1.6	1.6		9.7±0.3
48	1+5	12	2.2±0.1	1.6/1.6	1.6		9.7±0.3
60	1+5	12	2.2±0.1	1.6/1.6	1.6		9.7±0.3
72	1+6	12	2.2±0.1	2.0/2.0	1.6		10.6±0.3
96	1+8	12	2.2±0.1	1.6/3.5	1.6		12.0±0.3
144	1+12	12	2.2±0.1	2.0/6.4	1.8		15.6±0.3
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8		16.0±0.3
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0		18.2±0.3

Manufacturing Facility

NEWS AND FIBER OPTICAL CABLE SOLUTION



















120+

99%





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY













And More....





















SHIPMENT

PACKAGING → TRUCK LOADING → GOODS RECEIPT

Frequently Asked Questions

We are a manufacturer located in Guangzhou, China, operating since 2011. We serve domestic markets with a team of 11-50 professionals dedicated to quality fiber optic cable production.

How do we guarantee quality?

We conduct pre-production sampling before mass production and perform final inspections before shipment to ensure consistent quality

Can you ship to my country?

Yes, we can arrange shipping worldwide. If you don't have your own forwarder, we can assist with logistics solutions.

We accept all OEM orders. Contact us with your design requirements, and we'll provide competitive pricing and samples.

What services do we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Methods: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese



925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China