# **GYTA Outdoor Fiber Optic Cable Armored G652D G652B PE Jacket**

#### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

**GYTA** Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



## **Product Specification**

**GYTA** • Item:

• Outdoor: Outdoor Fiber Optic Cable

G652D OR G652B . Fiber:

PΕ · Jacket Material: · Strength Member: Steel Armored: Aluminum

• Highlight: Communication GYTA Fiber Optic Cable,

Armoured GYTA Fiber Optic Cable,

Fiber Optic Cable G652D



## More Images



# Communication GYTA Fiber Optic Cable Armoured G652D OR G652B

#### **Product Specifications**


Attribute	Value
Item	GYTA
Outdoor	Outdoor Fiber Optic Cable
Fiber	G652D OR G652B
Jacket Material	PE
Strength Member	Steel
Armored	Aluminum

#### **Product Overview**

#### GYTA Fiber Optic Cable Factory Supply High Quality Communication Armoured Cable

GYTA Outdoor Fiber Optical Cable is engineered for maximum fiber capacity, providing the necessary flexibility and adaptability for the most demanding installations including those in ducts and underground conduits.





#### **Key Features**

Minimal dispersion and attenuation for superior signal clarity


Controlled fiber length and unique stranding process for enhanced durability

Corrugated steel tape armor provides robust resistance to moisture and crushing


Compact and lightweight design for easy installation

Wide temperature tolerance range from -40°C to +60°C

#### **Cable Structure**



# **GYTA Fiber Optic Cable**



Fiber: 2-288 fiber multi-loose tube gel-filled

Central Strength Member: Fiberglass reinforced plastic (FRP) or steel wire


Armor: Aluminum tape armor

Outer Jacket: Black UV Polyethylene (PE)

**Technical Parameters** 

Fiber count	Struc ture	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm)	Nominal thickness of outer jacket (mm)	Cable diameter/height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+ 12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+ 15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

#### **Our Manufacturing Facility**





## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





# **HOT-SALE PRODUCT**





### TRANSPORT&PAY













And More.....



















SHIPMENT

PACKAGING → TRUCK LOADING →

**GOODS RECEIPT** 

## **Frequently Asked Questions**

We are a manufacturer located in Guangzhou, China, operating since 2011. We primarily serve the domestic market with a workforce of 11-50 professionals.

#### How can we guarantee quality?

We conduct pre-production sampling before mass production and perform final inspections before shipment.

#### Can you send products to my country?

Yes, we can. If you don't have your own shipping forwarder, we can assist with logistics.

#### Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements and we'll provide competitive pricing and samples.

# What services can we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Methods: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese

# guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China