Ourdoor GYTA Fiber Optic Cable Single Mode Cable Drum

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

GYTA Model Number: • Minimum Order Quantity: 2km • Price: negotiate

 Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

GYTA Item:

• Outdoor: Outdoor Fiber Optic Cable

G652D OR G652B · Fiber:

PΕ · Jacket Material: · Strength Member: Steel Armored: Aluminum

• Highlight: Ourdoor GYTA Fiber Optic Cable,

Single Mode Cable Drum 1km, **GYTA Fiber Optic Cable 1km**



More Images



GYTA Fiber Optic Cable Factory Price Ourdoor Single Mode Cable Drum 1km GYTA Outdoor Fiber Optical Cable


These GYTA Armored Loose Tube Single Jacket/Single Armor fiber optic cables are intended to provide an elevated fiber count, ensuring the flexibility and versatility necessary for the most demanding installations of the present, including those in ducts and underground conduits.



Features:

- 1. These cables are known for their low dispersion and reduced attenuation, ensuring clear signal transmission.
- 2. They are expertly designed with precise control over fiber excess length and a distinct stranding process for robust mechanical and environmental properties.
- 3.The use of corrugated steel tape in the armoring provides robust protection against moisture and crushing.
- 4. The cables are designed to be slim and lightweight, facilitating easy deployment.
- 5. They are capable of operating effectively in a wide range of temperatures, from -40°C to +60°C.

Cable structure



GYTA Fiber Optic Cable

- 1. Fiber:
- 2-288 fiber

Multi-loose tube gel-filled

2. Central Strength Member:

Fiberglass reinforced Platic (FRP) or steel wire.

3. Armor:

Aluminum Tape Armor

4. Outer Jacket:

Black UV Polyethylene(PE)


Product Paramenters

Fibe r coun t	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pa d diameter (mm)	Nominal Thickness of outer jacket (mm)	Cable diameter/ Height (mm)	Cable weight (kg/km)
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80

6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Learn more about our products and factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY POSTAL SERVICE Land Air Freight Shipping Delivery Transportation And More... MONEY TRANSFER



1. Why choose us?

SHIPMENT

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

TRUCK LOADING

GOODS RECEIPT

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

PACKAGING

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China