GYTA Outdoor Fiber Optic Cable Roll Underground Communication Drum Packing

Basic Information

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSH

Model Number: GYTAMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

• Item: GYTA

Outdoor: Outdoor Fiber Optic Cable

• Fiber: G652D OR G652B

Jacket Material: PEStrength Member: SteelArmored: Aluminum

• Highlight: Outdoor Fiber Optic Cable Roll,

GYTA Fiber Optic Cable Roll,

Underground GYTA Fiber Optic Cable



More Images



Product Description

GYTA Fiber Optic Cable Outdoor Underground Communication Cable Roll Drum Packing GYTA Outdoor Fiber Optical Cable


GYTA Armored Loose Tube Single Jacket/Single Armor fiber optic cables are crafted to deliver a substantial fiber count, along with the necessary flexibility and adaptability for the most challenging installations of the current day, such as those in ducts and underground conduits.



Features:

- 1. The cables feature reduced dispersion and attenuation for clear signal transmission.
- 3. They are meticulously crafted with controlled fiber length and a distinct stranding process for robust mechanical and environmental properties.
- 3. Armored with corrugated steel tape, the cables offer excellent resistance to moisture and crushing.
- 4. The cables are designed to be slim and lightweight, facilitating easy deployment.
- 5. They are suitable for operation in a wide range of temperatures, from -40°C to +60°C.

Cable structure



GYTA Fiber Optic Cable

- 1. Fiber:
- 2-288 fiber

Multi-loose tube gel-filled

2. Central Strength Member:

Fiberglass reinforced Platic (FRP) or steel wire.

3. Armor:

Aluminum Tape Armor

4. Outer Jacket:

Black UV Polyethylene(PE)


Product Paramenters

Fibe				CSM	Nominal	Cable	
r		Fibers	Loose tube	diameter/pa	Thickness	diameter/	Cable
coun	Structure	per	diameter	d	of outer	Height	weight
+		tube	(mm)	diameter	jacket	(mm)	(kg/km)
'				(mm)	(mm)	(11111)	
4	1+5	4	1.8±0.1	1.4/1.4	1.4	9.0±0.3	80
6	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
8	1+5	8	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80

12	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	80
24	1+5	6	1.9±0.1	1.4/1.4	1.4	9.0±0.3	85
36	1+6	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	100
48	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	105
60	1+5	12	2.2±0.1	1.6/1.6	1.6	9.7±0.3	110
72	1+6	12	2.2±0.1	2.0/2.0	1.6	10.6±0.3	122
96	1+8	12	2.2±0.1	1.6/3.5	1.6	12.0±0.3	160
144	1+12	12	2.2±0.1	2.0/6.4	1.8	15.6±0.3	240
216	1+6+12	12	2.2±0.1	2.2/2.2	1.8	16.0±0.3	270
288	1+9+15	12	2.2±0.1	2.2/4.3	2.0	18.2±0.3	282

Learn more about our products and factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY TRANSPORT&PAY Air Freight Land Transportation Shipping Delivery





























SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China