Overhead OPGW Optical Ground Wire Cable Stranded Unit Type

Basic Information

Place of Origin:
 GUANGZHOU/CHINA

Brand Name: PUNAISGD
Certification: ISO/CE/ROSH
Model Number: OPGW-96B1.3

Minimum Order Quantity: 2kmPrice: negotiable

Packaging Details: Wooden Spool Φ1200*750mm

• Delivery Time: 5-25days

Payment Terms: 30%TT as deposit,70%Balance before

shipping.

• Supply Ability: 100km



Product Specification

• Item No.: OPGW-96B1.3

• Fiber Count: 12/24/48/96/144 CORES

Outer /Inner Sheath

Material:

• Installation Method: Overhead

• Cable Length: 2km-6km Or As Customerized

Warranty Period: 25 Years

• Highlight: Overhead Optical Ground Wire Cable,

AA/ACS Wire

Stranded Optical Ground Wire Cable,


Overhead OPGW Fiber Cable



Product Description


OPGW CABLE OPGW Optical Ground Wire Stranded Unit Type In The Eccentric Inner Layer Of Cable

Layered stranded OPGW is one or more fiber-optic stainless steel units and aluminum-clad steel wires together, with stranded technology to fix the cable, aluminum-clad steel wire stranded layers of more than two layers, the product features can accommodate multiple fiber-optic unit tubes, fiber core capacity is large. At the same time, the cable diameter is relatively large, and the electrical and mechanical properties are better. The product features light weight, small cable diameter and easy installation.










Production Supplier Profile





How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.





cotton@fibercablepuls.com



@ fiberoptical-cables.com