



### **Basic Information**

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

• Certification: ISO/CE/ROSH

Model Number: GJFJVMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25days

• Payment Terms: 30%TT as deposit,70%Balance before

shipping.

• Supply Ability: 100km



# **Product Specification**

Type: GJFJV
Jacket Color: ORANGE
Sheath Material: PVC/LSZH
Core Number: 2-12 Core
Warranty: 25 Years

• Installation Type: Indoor Optic Cable

• Highlight: G652D Indoor Fiber Optic Cable,

LSZH Outer Sheath Fiber Optic Cable, Indoor Fiber Optic Cable 48 Cores



# More Images



Our Product Introduction


#### GJFJV Indoor Fiber Optic Cable 48-144 Cores G652D LSZH Outer Sheath


#### **Product Specifications**


| Attribute         | Value              |
|-------------------|--------------------|
| Туре              | GJFJV              |
| Jacket Color      | ORANGE             |
| Sheath Material   | PVC/LSZH           |
| Core Number       | 2-12 core          |
| Warranty          | 25 years           |
| Installation type | Indoor optic cable |

#### **Product Description**

The GJFJV Indoor Fiber Optic Cable is designed for a broad range of distribution applications. It employs  $\phi$ 900 $\mu$ m flame-resistant tight buffer fibers as the medium for optical communication, reinforced with aramid yarn for structural support. The cable features a jacket made from PVC, OPNP, or LSZH (Low smoke, Zero halogen, Flame-retardant) materials to meet high safety standards.








#### **Technical Specifications**

| Fiber Count | Thickness of Jacket (mm) | Diameter | Tensile (N) Long/Short | Crush (N) | Bending Radius (mm) |
|-------------|--------------------------|----------|------------------------|-----------|---------------------|
| 1           | 1.6                      | 2.0      | 40/80                  | 200/500   | 30/60               |
| 1           | 1.8                      | 2.3      | 40/80                  | 200/500   | 30/60               |
| 1           | 2.0                      | 3.0      | 40/80                  | 200/500   | 30/60               |
| 1           | 2.4                      | 4.8      | 40/80                  | 200/500   | 30/60               |
| 1           | 3.0                      | 6.7      | 60/120                 | 200/500   | 30/60               |
| 2-12        | 0.45 ±0.05               | 3.2±0.1  | 100/200                | 250/500   | 10D/20D             |

#### **Manufacturer Profile**

















# **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**













▲ Color Coating

▲ Color Fiber Testin

▲ Strand

oose Tube

▲ Finished Cable Testing





## **Custom Order Process**

Send your purchase intention to our email: cotton@fibercablepuls.com

Our sales team will contact you to confirm product specifications, packaging, printing, quantity, and other requirements

Sign the contract or Proforma Invoice

After receiving your deposit, we will begin production

Two weeks before production completion, we will notify you to arrange shipping







cotton@fibercablepuls.com



fiberoptical-cables.com