Steel Wire Rope Thimbles Chain Fittings For Lifting And **Connecting**

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: Wire Rope Thimbles

• Minimum Order Quantity: 1 piece • Price: negotiate Packaging Details: carton • Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

. Supply Ability: negotiate



Product Specification

• Type: Wire Rope Thimbles

Usage: Lifting And Connecting, Wire Rope Fittings,

Chain Fittings

Customized Size:

Applications: Wire Rope Terminal Fittings Carbon Steel, Stainless Steel Material:

Using: Chain Fittings

. Highlight: Steel Wire Rope Thimbles,

Lifting Wire Rope Thimbles, **Connecting Wire Rope Thimbles**



More Images





ADSS OPGW OPPC Accessory Wire Rope Thimbles

Product Introduction





Thimble is a tool that is made to maintain the shape of a wire rope sling eye in order to keep it safe from various pulling, friction, and pounding. Additionally, this thimble also has the function of protecting the wire rope sling from being crushed and eroded, allowing the wire rope to last longer and be used more frequently.

Thimbles have two main uses in our daily lives. One is for wire rope, and the other is for guy grip. They are called wire rope thimbles and guy thimbles. Below is a picture showing the application of wire rope rigging.

Product Features

Finish: Hot-dipped galvanized, electro galvanized, highly polished.


Usage: Lifting and connecting, wire rope fittings, chain fittings.


Size: Can be customized according to customer's requirements.

Easy installation, no tools required.

Galvanized steel or stainless steel materials make them suitable for outdoor use without rust or corrosion. Lightweight and easy to carry.

Specifications







Item	Dimensions (mm)						Weight 100PCS
No.	Α	В	С	Н	S	L	(kg)
OYI-2	2	14	7	11.5	0.8	20	0.1
OYI-3	3	16	10	16	0.8	23	0.2
OYI-4	4	18	11	17	1	25	0.3
OYI-5	5	22	12.5	20	1	32	0.5
OYI-6	6	25	14	22	1	37	0.7
OYI-8	8	34	18	29	1.5	48	1.7
OYI-10	10	43	24	37	1.5	56	2.6
OYI-12	12	48	27.5	42	1.5	67	4
OYI-14	14	50	33	50	2	72	6
OYI-16	16	64	38	55	2	85	7.9
OYI-18	18	68	41	61	2.5	93	12.4
OYI-20	20	72	43	65	2.5	101	14.3
OYI-22	22	77	43	65	2.5	106	17.2
OYI-24	24	77	49	73	2.5	110	19.8
OYI-26	26	80	53	80	3	120	27.5
OYI-28	28	90	55	85	3	130	33
OYI-32	32	94	62	90	3	134	57
Other Size can be made as customers request.							

Applications

Wire rope terminal fittings. Machinery. Hardware industry.

Packaging Information





Our Factory



FREE SAMPLES ONE-STOP SHOP


















Experiences

90+

120+

≤ 2h

99%











OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM











▲ Color Fiber Testing

▲ Stranded Loose Tube

▲ Finished Cable Testing













And More.....



















SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT



FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China