



ASU Fiber Optic Cable 8 Core Mini ADSS All-Dielectric 100m-500m

Basic Information

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSH

Model Number: ASUMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Type: ASUOuter Sheath Material: PE

Water Blcoking System: Filling Gel

Colour: Standard And Customized

Fiber Grade: G652D/ G657A1
 Span: 100/200/300/400/500m
 Highlight: 100m ASU fiber optic cable,

8 core ASU fiber optic cable, 150m ASU fiber optic cable



More Images




ASU Fiber Optic Cable 8 Core ASU Mini ADSS All-Dielectric Span 100m 150m

Product Attributes


Attribute	Value
Туре	ASU
Outer Sheath Material	PE
Water Blocking System	Filling gel
Colour	Standard and customized
Fiber Grade	G652D/G657A1
Span	100/200/300/400/500m

Product Description



The ASU Cable is a Self-Supported Optical Cable tailored for connecting devices, suitable for both urban and rural networks with lengths of either 80 or 120 meters. It features an FRP strength member to assist with traction, preventing electrical discharges, and is designed for straightforward installation without the necessity for guy wires or grounding.

Product Details





Cable Structure

PE Outer Sheath: Protects against environmental stress and extends durability

FRP Strength Members: Provide non-conductive reinforcement, enhancing electrical safety

Installation Aid Cord: Enables swift and easy deployment

Fiber Insulating Gel: Protects the fibers and simplifies installation

Adjustable Inner Tubing: Allows fiber movement, improving protection and flexibility


Signal-Carrying Fibers: Crucial for efficient light signal transmission across the network

Product Parameters

Item	Parameters
Loose tube	Material: PBT
Central Strength Member	Material: FRP
Outer jacket	Out Diameter: 6.8±0.2
Material	HDPE - UV protection
Color	Black

Our Factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





TRANSPORT&PAY

































SHIPMENT

PACKAGING → TRUCK LOADING →

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50

people in our factory.

2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. We will offer you a reasonable price and make samples for you.

5. What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW; Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow; Language Spoken: English, Chinese





cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China