



ASU Aerial Fiber Optic Cable Factory Price Overhead Cable 48 72 Cores **G652D**

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

· Certification: ISO/CE/ROSH

Model Number: ASU • Minimum Order Quantity: 2km • Price: negotiate

· Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

ASU . Type: · Out Color: Black

. Construction: Stranded Loose Tube


HDPE Jacket Material:

· Strength Member: FRP Strength Member

• Span:

• Highlight: G652D aerial fiber optic cable,

48 cores aerial fiber optic cable, 72 cores aerial fiber optic cable




More Images



Our Product Introduction

ASU aerial fiber optic cable Factory price overhead cable 48 72 cores G652D



The ASU Cable, a Self-Supported Optical Cable, is intended for device interconnections and works well in both urban and rural network setups. Offered in 80 or 120 meter lengths, it comes with an FRP strength member to provide traction and prevent electrical discharges, and it is simple to install without needing guy wires or grounding.

Product Details



Cable structure

PE Outer Coating: Encased in a PE outer coating, the cable is protected from environmental factors and has a longer lifespan.

FRP Reinforcements: Includes FRP reinforcements for non-conductive strength and electrical safety. **Installation Facilitator Cord:** Provides an installation facilitator cord to make cable setup faster and simpler.


Gel for Fiber Insulation: Employs gel inside to insulate the fibers and aid in the installation process. **Flexible Inner Tubing:** The cable's flexible inner tubing permits fiber movement, enhancing both protection and flexibility.

Data Transmission Fibers: The data transmission fibers are key for efficient light signal transfer within the network.

Product Paraments

Item		Parameters
Loose tube	Material	PBT
Central Strength Member	Material	FRP
	Out Diameter	6.8±0.2
Outer jacket	Material	HDPE -UV protection
Cator jacket	Color	Black

More About Our Factory











OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT

































TRUCK LOADING



GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China