



# ASU Fiber Optic Cable Mini Adss Cable G652D Non-metallic Aerial Outdoor Cable

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

ASU Model Number: • Minimum Order Quantity: 2km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



## **Product Specification**

ASU • Type: . Span Distance: 200m FRP • Strengthen Core: OM1 • Fiber Type: Fibre Count: 2-24 Core Application: Overhead

• Highlight: G652D fiber optic cable,

Mini adss fiber optic cable,


Non-metallic aerial fiber optic cable



# More Images



# ASU fiber optic cable Mini adss cable G652D non-metallic aerial outdoor cable



ASU Cable, a Self-Supported Optical Cable, is tailored for device connections and is available in lengths of 80 or 120 meters, making it appropriate for urban and rural networks. It features an FRP strength member that enhances traction and decreases the risk of electrical discharges, and it installs easily without requiring guy wires or grounding.

## **Product Details**



#### Cable structure

**PE Sheath Protection:** The PE sheath shields the cable from environmental stress, thereby extending its service life.

**FRP Reinforcement:** The inclusion of FRP reinforcement ensures non-conductive strength and enhances safety.

**Cable Deployment Cord:** A deployment cord is provided for effortless and swift cable installation. **Fiber Insulation Gel:** The cable uses insulation gel to protect the fibers and ease the installation process.


**Inner Tubing Flexibility:** The flexible inner tubing allows for fiber movement and offers improved protection.

Signal-Fiber Components: The components that carry signals are essential for efficient network operation.

# **Product Paraments**

Item		Parameters
Loose tube	Material	PBT
Central Strength Member	Material	FRP
	Out Diameter	6.8±0.2
Outer jacket	Material	HDPE -UV protection
Cator jacket	Color	Black

# **More About Our Factory**











## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





# **HOT-SALE PRODUCT**

































TRUCK LOADING



**GOODS RECEIPT** 

**FAQ** 

## 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

#### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design we will offer you a reasonable price and make samples for you.

### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China