

ASU Outdoor Fiber Optic Cable Mini Adss Fiber 6 24 Cores For Communication

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

- · Packaging Details:
- Delivery Time:
- Supply Ability:

- GUANGZHOU/CHINA PUNAISGD/CABLEPULS
- ASU

- Payment Terms:
- ISO/CE/ROSH 2km negotiate Wooden Spool /drum 5-25 days 30% TT as deposit, 70% Balance before shipping 100km



Product Specification

- Type:
- Length:
- Fiber Type:
- Transport Package:
- Useful:
- Use:
- Highlight:

ASU Custom Length Single Mode Wooden Drum FTTX Duct /aerial


Mini adss outdoor fiber optic cable, 6 cores outdoor fiber optic cable, 24 cores outdoor fiber optic cable



More Images



ASU fiber optic cable mini ADSS outdoor fiber aerial optic cable 12 24 cores



The ASU Cable is a Self-Supported Optical Cable designed for connecting devices over distances of 80 or 120 meters, suitable for both city and country networks. It incorporates an FRP strength member to provide traction and lower the risk of electrical discharges, and it is easy to install without needing guy wires or grounding.

Product Details



Cable structure

PE Sheath Protection: The PE sheath protects the cable from environmental stress, enhancing its durability.


FRP Reinforcement: FRP reinforcement provides non-conductive strength and boosts safety. **Cable Deployment Cord:** Comes with a cord for straightforward and quick deployment of the cable. **Fiber Insulation Gel:** A gel is used for insulating and safeguarding the fibers, which aids in installation. **Inner Tubing Flexibility:** Flexible inner tubing allows for movement of the fibers and offers additional protection.

Signal-Fiber Components: The fibers responsible for carrying signals are vital for efficient network operation.

Product Paraments

| Item | | Parameters |
|----------------------------|--------------|---------------------|
| Loose tube | Material | PBT |
| Central Strength Member | Material | FRP |
| | Out Diameter | 6.8±0.2 |
| Outer jacket | Material | HDPE -UV protection |
| | Color | Black |

More About Our Factory





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

A Stranded Loose Tube

A Finished Cable Testing



HOT-SALE PRODUCT







FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

| guangzhou fiber cablepuls co ltd | | | | |
|----------------------------------|--------------------------|--|----------------------------------|--|
| Q | +8613687956390 | cotton@fibercablepuls.com | e fiberoptical-cables.com | |
| 925-926, E | Building B1, No. 2 Chuan | ghui Avenue, Yonghe Yushan Inter province,China | nationalGuangzhou city,Guangdong | |