



# ASU Mini ADSS Fiber Optic Cable 12 Core FRP Reinforced Aerial

## **Basic Information**

Place of Origin: GUANGZHOU/CHINABrand Name: PUNAISGD/CABLEPULS

Certification: ISO/CE/ROSH

Model Number: ASUMinimum Order Quantity: 2kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



## **Product Specification**

Type: ASUFiber Cores: 2-12Strengthen Core: FRP

• Jacket Color: Black, White, Yellow, Orange, Green, Blue,

Purple, Red, Etc.


Diameter: 9.3mmApplicaion: Aerial

Highlight: 24 cores fiber optic cable,

outdoor fiber optic cable, 12 cores fiber optic cable



## More Images




## ASU Fiber Optic Cable Mini ADSS Outdoor Fiber Aerial Optic Cable 12 24 Cores

## **Product Specifications**


Attribute	Value
Туре	ASU
Fiber cores	2-12
Strengthen Core	FRP
Jacket Color	Black, White, Yellow, Orange, Green, Blue, Purple, Red, etc.
Diameter	9.3mm
Application	Aerial

### **Product Overview**



ASU Cable is a Self-Supported Optical Cable ideal for linking devices, fitting both urban and rural networks with lengths of either 80 or 120 meters. It includes an FRP strength member to assist with traction, minimizing electrical discharge risks, and can be installed effortlessly without requiring guy wires or grounding.

#### **Product Features**





PE Sheath Protection: Safeguards against environmental stress, extending the cable's longevity.

FRP Reinforcement: Provides non-conductive strength and improved safety.

Cable Deployment Cord: Enables easy and rapid cable installation.

Fiber Insulation Gel: Insulates and shields the fibers, simplifying installation.

Inner Tubing Flexibility: Accommodates fiber movement and provides extra protection.


Signal-Fiber Components: Essential for maintaining optimal network performance.

## **Technical Parameters**

Item	Parameters
Loose tube	Material: PBT
Central Strength Member	Material: FRP
Outer jacket	Out Diameter: 6.8±0.2
	Material: HDPE - UV protection
	Color: Black

## **Our Manufacturing Facility**







## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**





## **HOT-SALE PRODUCT**





## TRANSPORT&PAY











And More.....



















SHIPMENT → PACKAGING →

TRUCK LOADING →

**GOODS RECEIPT** 

## **Frequently Asked Questions**

## Why choose us?

We are manufacturer located in Guangzhou, China, operating since 2011, serving domestic markets. Our factory employs 11-50 dedicated

professionals.

### How can we guarantee quality?

We conduct pre-production sampling before mass production and perform final inspections before shipment.

## Can you send products to my country?

Yes, we can. If you don't have your own shipping forwarder, we can assist with logistics.

#### Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements for a competitive quote and sample production.

#### What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Language Spoken: English, Chinese

# guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China