3.0mm SC APC Single Mode Fiber Optic Patch

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification: Model Number: Patch cords • Minimum Order Quantity: 1 piece • Price: negotiate

· Packaging Details: plastic bag packaging

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: negotiate



Product Specification

Patch Cord • Item:

· Cable Diamter: 0.9mm/2.0mm/3.0mm

• Fiber Mode:

40mm 45mm 60mm . Length:

. Sheath Colour: Customized Material Of Jacket: LSZH

. Highlight: 3.0mm simplex patch cable, Fiber Optic simplex patch cable



More Images



Product Description

3.0mm Patch Cord Jumper Cable SC APC DX SM Simplex Patch Cable Fiber Optic

Product Attributes

Attribute	Value
Item	Patch cord
Cable diameter	0.9mm/2.0mm/3.0mm
Fiber Mode	SM
Length	40mm 45mm 60mm
Sheath Colour	Customized
Material of jacket	LSZH





Application

Fiber optic patch cords are commonly employed in various optical network settings including Security, WAN, LAN, CATV, FTTX, and Test Equipment.

Product Details

The Fiber Optic Patch Cord is a length of fiber cable with connectors at both ends to enable an active optical connection. A Pigtail has a fiber cable with a connector at one end only. A hybrid patch cord refers to those with different connectors or end-faces on each side.

Based on the transmission medium, these cords are divided into Single Mode and Multi Mode. They are also categorized by connector types such as FC, SC, ST, MU, D4, E2000, and LC. Additionally, they can be classified by the polished ceramic end-face as PC, UPC, or APC.

Advantages

Screw-thread coupling design

Ceramic ferrules

Low insertion loss and high return loss

Reliable repeatability and interchangeability

100% inspection for insertion loss, return loss, end face, and interference

Excellent durability

High dependability and stability

Standards

Complying with Telcordia, GR-326-Core, IEC and RoHS Standard



Structures

Connector type 01: SC-SC / APC single mode

Fiber Type 02:

Wire type: Φ3.0mm, G652D Material of Jacket: PVC

Color: Yellow Length: 3M

Product Specifications

Connector Type	SC/LC/FC/ST
Material of jacket	PVC/LSZH
Fiber Type	G652D/G657A1/G657A2/OM1/OM2/OM3/OM4
Cable diameter	0.9mm/2.0mm/3.0mm
Fiber Count	Simplex/Duplex
Length	1M/2M/3M or Can be customized

Our Factory





FREE SAMPLES ONE-STOP SHOP


















12

90+

120+

≤ 2h

99%





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



▲ Color Fiber Testin

▲ Stranded Loose T

▲ Finished Cable Test





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. We will offer you a reasonable price and make samples for you.

5. What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW;

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow;

Language Spoken: English, Chinese

guangzhou fiber cablepuls co ltd

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China