

# 1310nm/1550nm/1625nm Multifunctional Hand Held Otdr OTDR Fiber Optic Tester

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:

# PUNAISGD/CABLEPULS ISO/CE/ROSH

GUANGZHOU/CHINA

Wooden Spool /drum

- OTDR
- 1 piece

- Supply Ability:

negotiate

5-25 days

shipping

negotiate

• Place Of Origin:

**Product Specification** 

- Network:
- Wavelength:

Model Number:

- Test Range:
- Selling Units:
- Highlight:

- **OTDR** Tester Guangdong, China
- Wireless Lan, Wired LAN, Wifi, 4g, 3G

30% TT as deposit, 70% Balance before

- 1310nm/1550nm
- 10m~60KM
- Selling Units:
- 1550nm Hand held Otdr, 1625nm Hand held Otdr, 1310nm Hand held Otdr



## More Images



Our Product Introduction



# 1310nm/1550nm/1625nm Multifunctional Hand held Otdr OTDR Fiber Optic Tester



An optical power meter (OPM) is a device used to measure the power in an optical signal. The term usually refers to a device for testing average power in fiber optic systems. Other general purpose light power measuring devices are usually called radiometers, photometers, laser power meters (can be photodiode sensors or thermopile laser sensors), light meters or lux meters.



## Feature

- 2.5mm universal interface
- Wavelength:850~1625nm
- Manual calibration
- Mini case protection design,compact &generous
- Accuracy:±0.2dB
- Range of measurement:-70~+6dBm/-50~+26dBm
- Waterproof button suitable for different outdoor environment
- LED lights, suitable for dark environment

### Application

- 1. Maintenance in Telecom
- 2. Maintenance CATV
- 3. Fiber Optic Lab Testing

for more products please visit us on fiberoptical-cables.com

# **PRODUCT SPECIFICATIONS**

Model	SL-NK3200
Output Power	-5dBm±0.5dB
Output Wavelength	1310/1550nm
Frequency Output	270/1k/2kHz
Wavelength Recognition	1310/1550nm
Test Range	-50~+26dBm
Resolution	0.01dB
Calibrated Wavelength	850/1300/1310/1490/1550/1625nm
Accuracy	±0.2dB
Memory Capacity	999 groups
Weight	180g
Dimension	145L×60W×45H(mm)
Communication Port	USB
Power Supply	2* Ni-MH AA battery
Optional	(PD)1.25mm adapter/2.5mm adapter

# **OUR FACTORY**

			FREE SAMPLES ONE-STOP SHOP		
<ul> <li>OEM FOR WELL-KNOW BRANDS</li> <li>SUPPLIER FORTUNE 500 COMPANYS</li> </ul>	Experiences S 12	old to Countries 90+	Cooperative Supplier 120+	es Response Time ≤ 2h	On-time Delivery Rate 99%
	III III		E	1.	A
	COMPANY	PROFIL		· All	
	A	PROFII	iber		



## OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



Color Fiber Testing

A Stranded Loose Tube

Finished Cable Testing







# FAQ

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

#### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

#### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

#### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

#### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

guangzhou fiber cablepuls co Itd				
+8613687956390	Cotton@fibercablepuls.com	@ fiberoptical-cables.com		
925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China				