# Optical Fiber Tester NK3200D OTDR Fiber Optic Tester For 4G **Networks**

### **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

OTDR Model Number: • Minimum Order Quantity: 1 piece • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: negotiate



## **Product Specification**

Model Number: **OTDR Tester** . Place Of Origin: Guangdong, China

Network: 4g, 3G Carton • Package:

• Temperature Range: Suitable For Extreme Temperatures

· Color:

NK3200D Fiber Optic Tester, • Highlight:

Fiber Optic Tester For 4G Networks,

**OTDR Fiber Optic Tester** 



## More Images



# High Quality Optical Fiber Tester NK3200D OTDR Fiber Optic Tester



An optical power meter (OPM) serves to gauge the power within an optical signal. Generally, this term denotes devices that test average power in fiber optic systems. Various other light power measurement devices are referred to as radiometers, photometers, laser power meters (which may use photodiode or thermopile sensors), light meters, or lux meters.



### **Feature**

Interface Type: 2.5mm universal Wavelength Spectrum: 850~1625 nm Calibration: Manual adjustment

Protection Design: Mini case, compact and elegant

Precision: ±0.2 dB

Measurement Range: -70 to +6 dBm / -50 to +26 dBm Outdoor Use: Waterproof buttons for diverse environments

Lighting: LED lights for dark settings

## **Application**


- 1. Maintenance in Telecom
- 2. Maintenance CATV
- 3. Fiber Optic Lab Testing
- 4. Other Fiber Optic Measurements

# **PRODUCT SPECIFICATIONS**

Model	SL-NK3200
Output Power	-5dBm±0.5dB
Output Wavelength	1310/1550nm
Frequency Output	270/1k/2kHz
Wavelength Recognition	1310/1550nm
Test Range	-50~+26dBm
Resolution	0.01dB
Calibrated Wavelength	850/1300/1310/1490/1550/1625nm
Accuracy	±0.2dB
Memory Capacity	999 groups
Weight	180g
Dimension	145L×60W×45H(mm)
Communication Port	USB
Power Supply	2* Ni-MH AA battery
Optional	(PD)1.25mm adapter/2.5mm adapter

# **OUR FACTORY**













# **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**











▲ Color Fiber Testing

▲ Stranded Loose Tube

▲ Finished Cable Testing



# TRANSPORT&PAY A. POSTAL SERVICE Land Transportation Air Freight Shipping Delivery





























SHIPMENT

PACKAGING → TRUCK LOADING → GOODS RECEIPT

# **HOT-SALE PRODUCT**





### **FAQ**

#### 1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

#### 2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

#### 3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

#### 4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

#### 5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese









fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China