Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

ISO/CE/ROSH · Certification:

OTDR Model Number: • Minimum Order Quantity: 1 piece • Price: negotiate

· Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: negotiate



Product Specification

Model Number: **OTDR Tester**

. Place Of Origin: Guangdong, China

Network: Wireless Lan, Wired LAN, Wifi, 4g, 3G

1310nm/1550nm · Wavelength: • Test Range: 10m~60KM Selling Units: Selling Units

• Highlight: Fiber tools NK3200 OTDR Tester,

VFL Light Source NK3200 OTDR Tester,

Mini NK3200 OTDR Tester



More Images



Our Product Introduction

Mini NK3200 OTDR Tester With VFL Light Source Optical Power Meter Fiber Tools

Product Attributes

Model Number	OTDR Tester
Place of Origin	Guangdong, China
Network	Wireless Lan, Wired LAN, wifi, 4g, 3G
Wavelength	1310nm/1550nm
Test Range	10m~60KM
Selling Units	Selling Units

Product Description

Mini NK3200 OTDR Tester with VFL Light Source Optical Power Meter Fiber tools





An optical power meter (OPM) measures the power present in optical signals. This term is usually associated with devices used for measuring average power in fiber optic systems. Other types of light power measuring instruments are commonly referred to as radiometers, photometers, laser power meters (which can include photodiode or thermopile sensors), light meters, or lux meters.



Connection Type: Universal 2.5mm interface

Wavelength Range: 850-1625 nm Calibration: Manual calibration process

Design Features: Compact mini case for protection, stylish appearance

Accuracy: ±0.2 dB

Measurement Range: -70 to +6 dBm and -50 to +26 dBm

Durability: Waterproof buttons suitable for outdoor environments

LED Functionality: Suitable for use in dark conditions

Applications

Maintenance in Telecom

Maintenance CATV

Fiber Optic Lab Testing


Other Fiber Optic Measurements

Product Specifications

Model	SL-NK3200
Output Power	-5dBm±0.5dB
Output Wavelength	1310/1550nm
Frequency Output	270/1k/2kHz
Wavelength Recognition	1310/1550nm
Test Range	-50~+26dBm
Resolution	0.01dB
Calibrated Wavelength	850/1300/1310/1490/1550/1625nm
Accuracy	±0.2dB
Memory Capacity	999 groups
Weight	180g
Dimension	145L×60W×45H(mm)
Communication Port	USB
Power Supply	2* Ni-MH AA battery
Optional	(PD)1.25mm adapter/2.5mm adapter

Our Factory


















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM







▲ Color Fiber Testing



▲ Fiber to Loose Tube



▲ Stranded Loose Tub



▲ Finished Cable Testing



TRANSPORT&PAY



















And More.....



















SHIPMENT

PACKAGING → TRUCK LOADING →

GOODS RECEIPT

HOT-SALE PRODUCT





Frequently Asked Questions

Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

What services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW;

 ${\tt Accepted\ Payment\ Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;}$ Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese









fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China