



GJXH 12 Core FTTH Fiber Optic Drop Cable with FRP

Basic Information

Place of Origin: GUANGZHOU/CHINA

Brand Name: PUNAISGD/Certification: ISO/CE/ROSH

Model Number: GJXHMinimum Order Quantity: 1kmPrice: negotiate


Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Model Number: GJXH

• Type: Fiber Optic Cable

Fiber Count: 12 Cores
Color: Black/White
Application: FTTH
Keyword: Drop Cable

• Highlight: FRP strength member fiber optic cable,

4 cores fiber optic cable, ftth fiber optic cable



More Images



GJXH Fiber Optic Cable 2-4 Cores Multimode FTTH Cable with FRP Strength Member

Product Attributes

Attribute	Value
Model Number	GJXH
Туре	Fiber Optic Cable
Fiber count	12 Cores
Color	Black/White
Application	FTTH
Keyword	drop cable


Product Description



Fiber Optic Drop Cable access to the use of dish-shaped optical cable (indoor wiring) is the optical communication unit (fiber) in the center, placed on both sides of two parallel non-metallic reinforcement (FRP) or metal reinforcing member, and finally extrusion black or color poly Vinyl chloride (PVC) or LSZH (LSZH, low smoke, halogen-free, flame retardant) jacket.

Structure





Special low-bend-sensitivity fiber provides high bandwidth and excellent communication transmission property

Two parallel FRP strength members ensure good performance of crush resistance to protect the fiber

Steel wire or massagers as the additional strength member ensures good performance of tensile strength

Simple structure, light weight and high practicability special flute design, easily strip and splice, simplify the installation and maintenance

Low smoke, zero halogen and flame retardant sheath

Product Specifications

Fiber Cores	Cable OD(mm)	Cable/Weight (kg/km)	Tensile Strength(long/short term)	Crush Resistance(long/short term N/100mm)	Bending Radius Static/Dynamic mm
1	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
2	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
4	(2.0±0.2)* (5.5±0.2)	21	60/120	300/1000	15/35
6	(2.0±0.2)* (6.0±0.2)	22	60/120	300/1000	15/35

Production Transportation Process



01 Standard production Line,strict SOP production procedure

02 Attenunation test for each fiber by OTDR after production,and QC for every detail





03 2km, 3km or 4km per durm Strong wood drumsealed with wood bars

04

Wooden barrel packaging, can be customized, using high-quality raw materials for transportation



Introduction to ADSS Fiber Cable

ADSS fiber cables are highly resistant to environmental factors such as wind, ice, and UV radiation, making them suitable for long-distance communication networks.

How Much You Know About GYXTW-12B1?

What Is the Difference Between GYFTY Cable and Other Types of Fiber Optic Cables?

GYFTY Cable: Provides high flexibility, easy handling, and routing, making it convenient for installation and maintenance. Other Fiber Optic Cables: May vary in flexibility based on their design and construction, but GYFTY cable is known for its flexibility and ease of use.



Our Factory



🃜 | PROFESSIONAL PERSISTENCE

FREE SAMPLES ONE-STOP SHOP











120+








90+

≤ 2h

99%















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM













▲ Color Coatin

▲ Color Fiber Testing

▲ Stran

Stranded Loose Tube

▲ Finished Cable Testing



TRANSPORT&PAY



















And More.....



















SHIPMENT

PACKAGING → TRUCK LOADING →

GOODS RECEIPT

HOT-SALE PRODUCT





Frequently Asked Questions

Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. We will offer you a reasonable price and make samples for you.

What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW; Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF; Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow; Language Spoken: English, Chinese





+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province, China