


GJXH Fiber Optic Cable 2 4 Cores Multimode Ftth Cable With FRP Strength **Member**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:

- GUANGZHOU/CHINA PUNAISGD/

- Supply Ability:




30% TT as deposit, 70% Balance before

- 1km negotiate
- Wooden Spool /drum

shipping 100km

GJXH

- 5-25 days



Product Specification


- Model Number:
- Type:
- Fiber Count:
- Color:
- Application:
- Keyword:
- Highlight:
- Fiber Optic Cable 12 Cores Black/White FTTH Drop Cable
- FRP strength member fiber optic cable, 4 cores fiber optic cable, ftth fiber optic cable



More Images



Our Product Introduction





Fiber Optic Drop Cable access to the use of dish-shaped optical cable (indoor wiring) is the optical communication unit (fiber) in the center, placed on both sides of two parallel non-metallic reinforcement (FRP) or metal reinforcing member, and finally extrusion black or color poly Vinyl chloride (PVC) or LSZH (LSZH, low smoke, halogen-free, flame retardant) jacket.

STRUCTURE



Special low-bend -sensitivity fiber provides high bandwidth and excellent communication transmission property.

Two parallel FRP strength members ensure good performance of crush resistance to protect the fiber.

Steel wire or massagers as the additional strength member ensures good performance of tensile strength.

Simple structure , light weight and high practicability special flute desigh , easily strip and splice , simplify the installation and maintenance.

Low smoke , zero halogen and flame retardant sheath.

PRODUCT SPECIFICATIONS

Fiber Core s	Cable OD(mm)	Cable/Weigh t (kg/km)		Crush Resistance(long/sh ort term N/100mm	Bending Radius Static/Dynamic mm
1	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
2	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
4	(2.0±0.2)* (5.5±0.2)	21	60/120	300/1000	15/35
6	(2.0±0.2)* (6.0±0.2)	22	60/120	300/1000	15/35

Production Transportation Process



01 Standard production Line,strict SOP production procedure



02 Attenunation test for each fiber by OTDR after production,and QC for every detail



03 2km, 3km or 4km per durm Strong wood drumsealed with wood bars



04

Wooden barrel packaging, can be customized, using high-quality raw materials for transportation

Introduction to ADSS Fiber Cable

ADSS fiber cables are highly resistant to environmental factor such as wind, ice, and UV radiation, making them suitable for long-distance communication networks.

How Much You Know About GYXTW-12B1? We have established a complete set of independent laboratories, strictly in accordance with the IEC60794


What Is the Difference Between GYFTY Cable and Other Types of Fiber Optic Cables?

GYFTY Cable: Provides high flexibility, easy handling, and routing, making it convo-nient for installation and maintenance. Other Fiber Optic Cables: May vary in flexibi-based on their design and construction, but GYFTY cable is known for its flexibility and ease of use.



Our Factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



A Colori

Color Fiber Testing

Stranded Loose Tube

Finished Cable Testing







FAQ

1. Why choose us? We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory. 2. how can we guarantee guality? Always a pre-production sample before mass production; Always final Inspection before shipment; 3.Can you send products to my country? Sure, we can. If you do not have your own ship forwarder, we can help you. 4. Can you do OEM for me? We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you. 5. what services can we provide? Accepted Delivery Terms: FOB,CIF,EXW Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow; Language Spoken:English,Chinese

guangzhou fiber cablepuls co ltd							
+8613687956390	cotton@fibercablepuls.com	e fiberoptical-cables.com					
925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China							