GJXH Indoor FTTH Fiber Optic Cable G652D 1-12 Core LSZH

Basic Information

. Place of Origin: **GUANGZHOU/CHINA**

. Brand Name: **PUNAISGD** ISO/CE/ROSH · Certification:

GJXH Model Number: • Minimum Order Quantity: 1km • Price: negotiate

Wooden Spool /drum · Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

100km • Supply Ability:



Product Specification

GJXH Model Number:

• Type: Fiber Optic Cable

Tight Buffer Self-support FTTH Cable • Cable Structure:

1-12 Fiber Count:

· Material Of Jacket: UV And Flame Resistant LSZH

• Strength Member: Two Parallel Steel Wire • Highlight: indoor fiber optic cable, 2 km indoor fiber optic cable,

FTTH indoor fiber optic cable



More Images



Our Product Introduction

GJXH Indoor Fiber Optic Cable 2 Km Reel Indoor Cable FTTH G652D

Product Specifications

Attribute	Value			
Model Number	GJXH			
Туре	Fiber Optic Cable			
Cable Structure	Tight buffer Self-support FTTH cable			
Fiber Count	1-12			
Material of Jacket	UV and flame resistant LSZH			
Strength Member	Two Parallel Steel Wire			


Product Overview



Fiber optic drop cables feature a central optical communication fiber, flanked by two parallel reinforcements made of either non-metallic materials (like FRP) or metal. The entire structure is encased in a black or colored PVC or LSZH jacket, which is flame retardant and low-smoke.

Cable Structure





Technical Specifications

Fiber Cores	Cable OD(mm)	Cable/Weight (kg/km)	Tensile Strength(long/short term)	Crush Resistance(long/short term N/100mm)	Bending Radius Static/Dynamic mm
1	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
2	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
4	(2.0±0.2)* (5.5±0.2)	21	60/120	300/1000	15/35

6	(2.0±0.2)* (6.0±0.2)	22	60/120	300/1000	15/35
---	-------------------------	----	--------	----------	-------

Key Features

Low-bend sensitivity fiber ensures high bandwidth and excellent transmission qualities

Two parallel FRP strength members provide effective crush resistance

Additional steel wires enhance tensile strength

Lightweight design with simple structure for easy installation

Unique flute design simplifies stripping and splicing

Outer sheath is low smoke, halogen-free, and flame-retardant

Production & Transportation Process



01 Standard production Line,strict SOP production procedure

02 Attenunation test for each fiber by OTDR after production,and QC for every detail





03 2km, 3km or 4km per durm Strong wood drumsealed with wood bars

04

Wooden barrel packaging, can be customized, using high-quality raw materials for transportation



Introduction to ADSS Fiber Cable

ADSS fiber cables are highly resistant to environmental factors such as wind, ice, and UV radiation, making them suitable for long-distance communication networks.

How Much You Know About GYXTW-12B1?

We have established a complete set of independent laboratories, strictly in accordance with the IEC60794

What Is the Difference Between GYFTY Cable and Other Types of Fiber Optic Cables?

GYFTY Cable: Provides high flexibility, easy handling, and routing, making it convenient for installation and maintenance. Other Fiber Optic Cables: May vary in flexibility based on their design and construction, but GYFTY cable is known for its flexibility and ease of use.



Our Manufacturing Facility



FREE SAMPLES ONE-STOP SHOP




















12

90+

120+ ≤ 2h

99%















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM













▲ Color Coatin

▲ Color Fiber Testing

▲ Stran

Stranded Loose Tube

▲ Finished Cable Testing



TRANSPORT&PAY



















And More.....



















SHIPMENT

PACKAGING → TRUCK LOADING → GOODS RECEIPT

HOT-SALE PRODUCT





Frequently Asked Questions

Why choose us?

We are manufacturer located in Guangzhou, China, operating since 2011. We primarily serve the domestic market with a team of 11-50 skilled professionals dedicated to quality fiber optic cable production.

How do we guarantee quality?

We implement strict quality control measures including pre-production samples and final inspection before shipment to ensure all products meet our high standards.

Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own shipping forwarder, we can arrange transportation for you.

Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements and we'll provide competitive pricing and samples.

What services do we provide?

We offer flexible delivery terms (FOB, CIF, EXW), accept multiple currencies (USD, EUR, JPY, etc.), and various payment methods (T/T, L/C, PayPal, etc.). Our team communicates in English and Chinese.









925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China