Basic Information

Place of Origin:
GUANGZHOU/CHINA

Brand Name: PUNAISGDCertification: ISO/CE/ROSH

Model Number: GJXHMinimum Order Quantity: 1kmPrice: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

• Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

Model Number: GJXH Length: 1km


Fiber Count: 1core/4core
Jacket: LSZH Or PVC
Application: FTTH FTTB
Colour: Black

• Highlight: Indoor fiber optic cable, FTTH fiber optic cable,

single mode fiber optic cable



More Images



Our Product Introduction

GJXH Fiber Optic Cable Indoor Fiber Optic Cable Single Mode FTTH

Product Attributes

Attribute	Value
Model Number	GJXH
Length	1km
Fiber count	1core/4core
Jacket	LSZH or PVC
Application	FTTH FTTB
Colour	black

Product Description


GJXH fiber optic cable Factory price indoor fiber optic cable single mode FTTH



The structure of fiber optic drop cables includes an optical communication fiber at the center, flanked by two parallel supports, either of FRP or metal. This is all enclosed in a jacket of black or colored PVC or LSZH, known for being flame-resistant and low in smoke emissions.

Structure





Featuring low-bend sensitivity, this fiber provides high bandwidth and exceptional transmission efficiency

The design includes two parallel FRP strength members that effectively protect the fiber from crushing

Additional steel wires or reinforcement materials enhance its tensile strength

Its lightweight structure and unique flute design make stripping and splicing simple, streamlining installation and maintenance

The outer sheath is designed to be low smoke, halogen-free, and resistant to flames

Product Specifications

Fiber Cores	Cable OD(mm)	Cable/Weight (kg/km)	Tensile Strength(long/short term)	Crush Resistance(long/short term N/100mm)	Bending Radius Static/Dynamic mm
1	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
2	(2.0±0.2)* (5.0±0.2)	20	60/120	300/1000	15/35
4	(2.0±0.2)* (5.5±0.2)	21	60/120	300/1000	15/35
6	(2.0±0.2)* (6.0±0.2)	22	60/120	300/1000	15/35

Production Transportation Process



01 Standard production Line,strict SOP production procedure

02 Attenunation test for each fiber by OTDR after production,and QC for every detail





03 2km, 3km or 4km per durm Strong wood drumsealed with wood bars

04

Wooden barrel packaging, can be customized, using high-quality raw materials for transportation



Introduction to ADSS Fiber Cable

ADSS fiber cables are highly resistant to environmental factors such as wind, ice, and UV radiation, making them suitable for long-distance communication networks.

How Much You Know About GYXTW-12B1?

We have established a complete set of independent laboratories, strictly in accordance with the IEC60794

What Is the Difference Between GYFTY Cable and Other Types of Fiber Optic Cables?

GYFTY Cable: Provides high flexibility, easy handling, and routing, making it convenient for installation and maintenance. Other Fiber Optic Cables: May vary in flexibility based on their design and construction, but GYFTY cable is known for its flexibility and ease of use.



Our Factory

NEWS AND FIBER OPTICAL CABLE SOLUTION

















SUPPLIER FORTUNE 500 COMPANYS


12

90+

120+

≤ 2h

99%
















OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM











▲ Color Coating

▲ Color Fiber Testing

▲ Stranded Loose Tube

▲ Finished Cable Testing



TRANSPORT&PAY









Land Transportation



Shipping











And More.....

















PACKAGING



TRUCK LOADING



GOODS RECEIPT

HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. How can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment.

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. We will offer you a reasonable price and make samples for you.

5. What services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Language Spoken: English, Chinese

+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China