



ASU 80 Optic Fiber Cable 4 Cores 6 Cores 12 Cores 24 Cores 12FO 6FO G652D PE Or LSZH Jacket Outdoor Aerial ASU80 Fiber Optic

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD
- Certification: ISO/CE/ROSH
- Model Number: ASU-80
- Minimum Order Quantity: 1km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km



Product Specification


- Model Number: ASU 12B1.3
- Length: 2km
- Fiber Count: 2/4/6/8/12core
- Jacket: LSZH Or PE
- Colour: Black
- Strength Member: Frp*2pcs
- Highlight: 12 cores ASU80 Optic Fiber Cable,
6 cores ASU80 Optic Fiber Cable,
4 cores ASU80 Optic Fiber Cable



Product Description

ASU 80 Optic Fiber Cable 4cores 6cores 12cores 24cores 12FO 6FO G652D PE Or LSZH Jacket Outdoor Aerial ASU80 Fiber Optic

ASU Aerial




ASU UNARMORED CENTRAL CABLE

The 2~12 Fibers ASU Cable (AS80 and AS120) is a Self-Supported Optical Cable. It was developed to provide the connection between devices, being indicated for installation in urban and rural networks, in spans of 80m or 120m. Because it is self-supported and totally dielectric, it has FRP strength member as a traction element, thus avoiding electrical discharges in the networks. It is easy to handle and install, eliminating the need to use strings or grounding.

STRUCTURE






The Technical Data of ASU Fiber Optic Cable

No. of cable		12	24
Fiber Model		G.652D	
Loose Tube	Material	PBT	
	Diameter	2.5±0.1mm	2.8±0.1mm
	Thickness	0.32±0.05 mm	
	Color	Nature	
Strength Member	Material	FRP	
	Diameter	2.5±0.05 mm	2.5±0.1mm
Outer Sheath	Material	PE	
	Color	Black	
Cable Diameter		8.0±0.2 mm	8.5±0.2 mm
Cable Weight		55±5.0 kg/km	65±5.0 kg/km
Allowable Tensile Strength		1000N	1500N
Allowable Crush Resistance		1100N/100 mm	2200N/100mm
Min. bending radius	Without Tension	10.0×Cable-φ	
	Under Maximum Tension	20.0×Cable-φ	
Temperature range (°C)	Installation	-20~+60	
	Transport&Storage	-40~+70	
	Operation	-40~+70	

Production Transportation Process



01
Standard production Line,strict SOP
production procedure



02
Attenuation test for each fiber by OTDR after
production,and QC for every detail



03
2km, 3km or 4km per drum Strong wood
drumsealed with wood bars



04
Wooden barrel packaging, can be customized,
using high-quality raw materials for transportation

Introduction to ADSS Fiber Cable

ADSS fiber cables are highly resistant to environmental factors such as wind, ice, and UV radiation, making them suitable for long-distance communication networks.

How Much You Know About GYXTW-12B1?

We have established a complete set of independent laboratories, strictly in accordance with the IEC60794

What Is the Difference Between GYFTY Cable and Other Types of Fiber Optic Cables?

GYFTY Cable: Provides high flexibility, easy handling, and routing, making it convenient for installation and maintenance. Other Fiber Optic Cables: May vary in flexibility based on their design and construction, but GYFTY cable is known for its flexibility and ease of use.



Our Factory

NEWS AND FIBER OPTICAL CABLE SOLUTION

PROFESSIONAL PERSISTENCE

FREE SAMPLES
ONE-STOP SHOP



OEM FOR WELL-KNOW BRANDS

SUPPLIER FORTUNE 500 COMPANYS



Experiences

12



Sold to Countries

90+



Cooperative Suppliers

120+



Response Time

≤ 2h



On-time Delivery Rate

99%

COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc., domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



TRANSPORT&PAY



Air Freight



Land Transportation



Shipping



Delivery



And More.....



SHIPMENT



PACKAGING




TRUCK LOADING



GOODS RECEIPT

HOT-SALE PRODUCT



ADSS



AIR BLOW CABLE



ASU
(MINI ADSS)



FTTH SOLUTION



DIRECT-BURIED



FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China