

Outdoor Fiber Optic Cable ASU Aeria 4 Cores 6 Cores 8 Cores 12 Cores Mini **Adss**

Basic Information

• Price:

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

· Certification: ISO/CE/ROSH Model Number: ASU-8B1.3 • Minimum Order Quantity: 2km

Wooden Spool /drum Packaging Details:


• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

negotiate

shipping

100km • Supply Ability:



Product Specification

ASU-8b1.3 • Type: • Out Color: Black

Stranded Loose Tube . Construction:

PΕ Jacket Material:

· Strength Member: FRP Strength Member *2pcs

80m 100m 120m • Span:

• Highlight: Outdoor Fiber Optic Cable 6 cores,

Outdoor Fiber Optic Cable 4 cores, **Outdoor Fiber Optic Cable 8 cores**



Outdoor Fiber Optic Cable ASU Aeria 4 Cores 6 Cores 8 Cores 12 Cores Mini Adss



ASU cable is one loose tube stranded. Fibers, 250um, are positioned into a loose tube made of high modulus plastics. Two FRP (Fiber Reinforced Plastic) as as strengthen member. Cable surface is extruded with HDPE (polyethylene) sheath.

Features

- 1. Good mechanical and temperature performance
- 2. High strength looes tube that is hydrolysis resistant
- 3. Special tube filling compound ensure a critical protection of fiber
- 4. Crush resistance and flexibility
- 5.Loose tube filling compound
- 6.100% cable core filling

Product Details



Cable structure

PE Outer Coating: Encased in a PE outer coating, the cable is protected from environmental factors and has a longer lifespan.

FRP Reinforcements: Includes FRP reinforcements for non-conductive strength and electrical safety. **Installation Facilitator Cord:** Provides an installation facilitator cord to make cable setup faster and simpler.

Gel for Fiber Insulation: Employs gel inside to insulate the fibers and aid in the installation process.

Flexible Inner Tubing: The cable's flexible inner tubing permits fiber movement, enhancing both protection and flexibility.


Data Transmission Fibers: The data transmission fibers are key for efficient light signal transfer within the network.

Product Paraments

ltem		Parameters
Loose tube	Material	PBT
Central Strength Member	Material	FRP
	Out Diameter	6.8±0.2
Outer jacket	Material	HDPE -UV protection
Cator jacket	Color	Black

More About Our Factory







OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM






HOT-SALE PRODUCT















And More....



















SHIPMENT

PACKAGING

TRUCK LOADING

GOODS RECEIPT

FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market (100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production; Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF; Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken: English, Chinese



+8613687956390

cotton@fibercablepuls.com

fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China