# **ADSS Fiber Optic Cable 24 Core Single Jacket PE Aramid**

## **Basic Information**

. Place of Origin: **GUANGZHOU/CHINA** 

. Brand Name: **PUNAISGD** ISO/CE/ROSH · Certification:

ADSS-PE-24B1.3-80M Model Number:

• Minimum Order Quantity: 1km • Price: negotiate

Wooden Spool /drum Packaging Details:

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

Supply Ability: 100km



## **Product Specification**

Model Number: ADSS-PE-24B1.3-80M

Length: 2km/3km/4km 24/36/48/72/144 • Fiber Count: PE/SINGLE JACKET Jacket:

· Colour: Black

• Strength Member: ARAMID YARN


• SPAN: 80M

. Highlight: GYFXTY ADSS FIBER OPTIC CABLE,

24 Core ADSS FIBER OPTIC CABLE, Non Metallic ADSS FIBER OPTIC CABLE



## More Images






#### **ADSS Fiber Optic Cable Non Metallic Singlemode 24 Core**

#### **Product Specifications**

Attribute	Value
Model Number	ADSS-PE-24B1.3-80M
Length	2km/3km/4km
Fiber count	24/36/48/72/144
Jacket	PE/SINGLE JACKET
Color	Black
Strength member	Aramid Yarn
SPAN	80M


#### **Product Description**


ADSS cable is loose tube stranded. Fiber, 250µm, are positioned in a loose tube made of a high modulus plastic. The tubes are filled with a water-resistant filling compound. The tubes (and fillers) are stranded around a FRP (Fiber Reinforced Plastic) as a non-metallic central strength member into a compact and circular cable core.




After the cable core is filled with filling compound, it is covered with thin PE (polyethylene) inner sheath. After stranded layer of aramid yarns are applied over the inner sheath as strength member, the cable is completed with PE or AT (anti-tracking) outer sheath.


#### Structure







Uni-Tube All Dielectric Aerial Drop cable is especially designed for Fiber to the Subscriber applications. It is a flat, all dielectric cable ideally suited for self-supporting drop-type installations as well as conduit builds.





## **Technical Data**

Item	Fibre Count	6	12	24	48	72	96	144	288	
Loose Tube	Tubes*	1x6	2x6	4x6	6x8	4x12	6x12	8x12	12x12	24x12
Outer diameter (mm)		1.8	2.0	2.5	2.5	2.5	2.5			

## **Fiber Parameters**

No.	Items	Unit	Specification G.652D
1	Mode Field Diameter	1310nm	μm 9.2±0.4
		1550nm	μm 10.4±0.8

## **Production & Transportation Process**



01 Standard production Line,strict SOP production procedure

02 Attenunation test for each fiber by OTDR after production,and QC for every detail





03 2km, 3km or 4km per durm Strong wood drumsealed with wood bars

**Our Factory** 


















## **OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM**











▲ Color Fiber Testing

▲ Stranded Loose Tube

▲ Finished Cable Testing



## TRANSPORT&PAY



















And More.....



















SHIPMENT

PACKAGING → TRUCK LOADING → GOODS RECEIPT

## **HOT-SALE PRODUCT**





### **Frequently Asked Questions**

#### 1. Why choose us?

We are manufacturer, located in Guangzhou, China, operating since 2011, serving domestic and international markets. Our factory employs 11-50 skilled professionals dedicated to quality production.

#### 2. How can we guarantee quality?

We implement strict quality control measures including pre-production samples and final inspection before shipment to ensure product

#### 3. Can you send products to my country?

Yes, we can ship worldwide. If you don't have your own shipping forwarder, we can assist with logistics arrangements.

#### 4. Can you do OEM for me?

We accept all OEM orders. Contact us with your design requirements and we'll provide competitive pricing and samples.

#### 5. What services can we provide?

Delivery Terms: FOB, CIF, EXW

Payment Currencies: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF Payment Types: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow

Languages: English, Chinese





+8613687956390





e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China