




FRP Armored Anti Rodent Fiber Optic Cable GYFTY83-144B1.3

Our Product Introduction

for more products please visit us on fiberoptical-cables.com


Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD
- Certification: ISO/CE/ROSH
- Model Number: GYFTY83-144B1.3
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 100km




Product Specification

- Item No: GYFTY83-144B1.3
- Rodent Protection: FRP Rod
- Jacket Color: Black
- Jacket Material: Polyethylene
- Fiber Type: G.652D
- Armor Type: Unarmored
- Highlight: **Directly Buried Fiber Optic Cable,
Under Ground Fiber Optic Cable**



More Images



Product Description


Anti Rodent Fiber Optic Cable FRP DI Electrical Armoured Under Ground Directly Buried Fibre Optic Cable

Product Specifications



| Attribute | Value |
|-------------------|-----------------|
| Item No | GYFTY83-144B1.3 |
| Rodent Protection | FRP rod |
| Jacket Color | Black |
| Jacket Material | Polyethylene |
| Fiber Type | G.652D |
| Armor Type | Unarmored |

Product Description

FRP Armored Rodent-proof Optical Cable is designed with physical and chemical anti-rodent methods. Single-mode/multimode fibers are housed in loose tubes made of high-modulus plastic. The tubes are stranded around a central strength member to form a cable core, which is filled with cable filling compound. An inner PE sheath is extruded and armored with flat FRP.



GYFTY83



Cable Data


| Cable Type | Length (M) | | | | | Fiber Count | Outer Diameter (mm) | |
|------------|-------------------|-------|-------|-------|--------|-------------|---------------------|-------|
| | 1000M | 2000M | 3000M | 4000M | 5000M | | | |
| GYFTY83 | Net Weight (kg) | 80 | 160 | 240 | 320 | 400 | 2-60 fibers | 9.5mm |
| | Gross Weight (kg) | 90 | 180 | 270 | 360 | 450 | | |
| | Reel Size (cm) | 60*60 | 80*70 | 90*70 | 100*70 | 110*70 | | |

Fiber Specifications


| No. | Items | Unit | Specification |
|-----|--------|------|---------------|
| | G.652D | | |

| | | | | |
|---|-----------------------------------|------------------|-----------|---------------------|
| 1 | Mode Field Diameter | 1310nm 1550nm | μm μm | 9.2±0.4 10.4±0.8 |
| 2 | Cladding Diameter | μm | 125.0±1.0 | |
| 3 | Cladding Non-Circularity | % | ≤1.0 | |
| 4 | Core-Cladding Concentricity Error | μm | ≤0.5 | |
| 5 | Coating Diameter | μm | 245±5 | |

Production Supplier Profile



COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How to Place an OEM or Customized Order

Send your purchase intention to our email: cotton@fibercablepuls.com

Our sales team will contact you to confirm product specifications, packaging, printing, quantity, and other requirements

Sign the contract or Proforma Invoice

After receiving your deposit, we will arrange production

2 weeks before production completion, we will notify you to arrange shipping



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China