




ADSS Fiber Optic Cable Anti-Rodent FRP Defender

Our Product Introduction

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISSGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: ADSS-FRP-48B1.3
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool $\Phi 1200 \times 750\text{mm}$
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit, 70%Balance before shipping.
- Supply Ability: 100km



Product Specification

- Item No.: ADSS-FRP-48B1.3
- Fiber Count: 48 CORES
- Fiber Type: Single-mode/G625D
- Strength Member Material: FRP Wrapping/ARMID YARN
- Jacket Color: Black
- Outer /Inner Sheath Material: Lszh
- Installation Method: Aerial
- Warranty Period: 25 Years
- Highlight: ADSS Fiber Optic Cable,
FRP Defender ADSS Fiber Optic Cable,
Anti-Rodent ADSS Fiber Optic Cable





for more products please visit us on fiberoptical-cables.com

Product Description

ADSS Fiber Optic Cable Anti-Rodent FRP Defender

The **ADSS (Aerial Drop Self-Supporting) anti-rodent fiber optic cable** is designed for outdoor aerial installations and is often used for long-distance communication where environmental factors and rodent damage may be a concern. It typically combines a durable fiber optic cable design with features to prevent damage from pests such as rodents.



ADSS Cable Place Order Information

Cable structure									
No. of fiber	8 cores	16cores	24cores	32cores	48cores	64cores	96cores	128cores	144cores
No. of fiber/tube	2cores	4cores	4cores	8cores	8cores	8cores	8cores	12+8cores	12cores
No. of Tube	4	4	6	4	6	8	12	10+1	12
Inner Diameter(mm)	1.7±0.1	1.7±0.1	1.7±0.1	1.7±0.1	1.7±0.1	1.7±0.1	1.7±0.1	1.7±0.1	1.7±0.1
Diámetro exterior(mm)	2.5±0.1	2.5±0.1	2.5±0.1	2.5±0.1	2.5±0.1	2.5±0.1	2.5±0.1	2.5±0.1	2.5±0.1
Filler	2	2	-	2	-	-	-	-	-
CentralStrength Member(FRP) mm	2.6	2.6	2.6	2.6	2.6	3.5	2.6/7.2	2.6/7.2	2.6/7.2
Tear rope (inner sheath)	2	2	2	2	2	2	2	2	2
Thickness of PE inner sheath	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Outer diameter of PE inner sheath	10.0	10.0	10.0	10.0	10.0	10.9	14.6	14.6	14.6
Reinforcing layer aramid	Domestic aramid fiber	-	-	-	-	-	-	-	-
Tear rope (outer sheath)	2	2	2	2	2	2	2	2	2
PE outer protection thickness	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Outer diameter of PE outer sheath	13.3±0.5	13.3±0.5	13.3±0.5	13.3±0.5	13.3±0.5	14.2±0.5	17.9±0.5	18.0±0.5	18.1±0.5

Production Supplier Profile

COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: cotton@fibercablepuls.com
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.
- 5) 2 weeks before the completion of production, we will notify you to start contacting shipping.



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China