



guangzhou fiber cablepuls co ltd
fiberoptical-cables.com




Drones Bare Optical Fiber 0.43mm Tight-buffered SM Single Mode Invisible Fibre Bare Optical Fiber For Communication

Our Product Introduction


Basic Information

- Place of Origin: GUANGZHOU
- Brand Name: PUNAISGD
- Model Number: YXGX01
- Minimum Order Quantity: 10km
- Price: negotiate
- Packaging Details: Spool
- Delivery Time: 7DAYS
- Payment Terms: T/T
- Supply Ability: 100000KM




Product Specification

- Highlight: Tight Buffered Bare Optical Fiber,
Invisible Bare Optical Fiber, Bare Optical Fiber



More Images





for more products please visit us on fiberoptical-cables.com

Product Description

Drones Bare Optical Fiber 0.43mm Tight-buffered SM Single Mode invisible Fibre Bare Optical Fiber for Communication

0. 4mm/0.43mm/0.38mm/0.35mm Invisible Tight Buffer Fiber;
Simplex core for G.657.A2;
tensile:60N



Fiber Parameters

No.	Items	Unit	Specification
			G.657A2
1	Mode Field Diameter	1310nm	μm 8.8±0.4
		1550nm	μm 9.8±0.5
2	Cladding Diameter	μm	125±0.7
3	Cladding Non-Circularity	%	≤0.7
4	Core-Cladding Concentricity Error	μm	≤0.5
5	Coating Diameter	μm	245±5
6	Coating Non-Circularity	%	≤6.0
7	Cladding-Coating Concentricity Error	μm	≤12.0
8	Cable Cutoff Wavelength	nm	λ _{cc} ≤1260
9	Attenuation(max.)	1310nm	dB/km ≤0.35
		1550nm	dB/km ≤0.21
10	Macro-Bending Loss	1turn×7.5mm radius @1550nm	dB ≤0.2
		1turn×7.5mm radius @1625nm	dB ≤0.5

Cable Parameters

Items	Specifications
Fiber count	1
Tight-Buffer	Diameter 0.4±0.01mm
	Material PVC
	Material Transparent



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China