



Direct Buried Cable GYTA53 Heavy Armored Direct Burial Fiber Optic Cable

Our Product Introduction

for more products please visit us on fiberoptical-cables.com

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFTS53-72B1.3
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km




Product Specification

- Type: GYFTS53-72B1.3
- Fiber Count: 24 Cores 48 Cores 72 Cores
- Moisture Resistant: Yes
- Temperature Rating: -40°C To 90°C
- Application: Underground
- Jacket Material: PE
- Highlight: GYTA53 Direct Buried Cable, Heavy Armored Direct Buried Cable, Fiber Optic Direct Buried Cable



More Images




Product Description

Fiber Optic Cable 24 Cores Gyfts53 Direct Buried Underground Double Jacket

Designed for durability and reliability, the GYTA53 Heavy Armored Fiber Optic Cable is your ultimate solution for high-performance communication in challenging environments. Whether it's overhead, buried, or installed in pipelines, this cable guarantees superior transmission stability, moisture resistance, and protection, ensuring optimal performance in any installation.



Product Details





Product Features

1. Good mechanical and temperature performance
2. High strength loose tube that is hydrolysis resistant
3. Special tube filling compound ensure a critical protection of fiber
4. PE sheath protects cable from ultraviolet radiation
5. Good crush ability, applies for duct and directly buried application
6. Single steel wire as central strength member
7. Special tube filling compound ensure a critical protection of fiber
8. Fully filled in the cable
9. Good water-blocking tape prevent the sinking vertically

Product Paraments

| Fiber count | Structure | Fibers per tube | Loose tube diameter (mm) | CSM diameter/pair diameter (mm) | Thickness of inner jacket (mm) | Thickness of outer jacket (mm) | Cable diameter (mm) | Cable Weight (kg/km) |
|-------------|-----------|-----------------|--------------------------|---------------------------------|--------------------------------|--------------------------------|---------------------|----------------------|
| 4 | 1+6 | 4 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 6 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 8 | 1+6 | 4 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 12 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 164 |
| 18 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 165 |
| 24 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 165 |
| 30 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 166 |
| 36 | 1+6 | 6 | 1.7+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 12.8 ± 0.5 | 166 |
| 48 | 1+6 | 12 | 2.0+0.1 | 1.8 /1.8 | 0.9 ± 0.1 | 1.8 ± 0.1 | 13.8 ± 0.5 | 191 |
| 60 | 1+6 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 13.8 ± 0.5 | 191 |
| 72 | 1+6 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 13.8 ± 0.5 | 192 |
| 84 | 1+7 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 14.7 ± 0.5 | 218 |
| 96 | 1+8 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 15.4 ± 0.5 | 234 |
| 108 | 1+9 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 16.1 ± 0.5 | 253 |
| 120 | 1+10 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 16.8 ± 0.5 | 272 |
| 132 | 1+11 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 17.4 ± 0.5 | 293 |
| 144 | 1+12 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 18.2 ± 0.5 | 317 |
| 288 | 1+9+15 | 12 | 2.0+0.1 | 2.0/2.0 | 0.9 ± 0.1 | 1.8 ± 0.1 | 20.1 ± 0.5 | 383 |

Learn more about our company and factory

ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers, such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders,just contact us and give me your design.we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB,CIF,EXW

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,PayPal,Western Union,Escrow;

Language Spoken:English,Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong
province,China