Anti Rodent Underwater Fiber Optic Cable GYFTY33 Steel Armored

Basic Information

Place of Origin:
 GUANGZHOU/CHINA

Brand Name: PUNAISGD
 Certification: ISO/CE/ROSH
 Model Number: GYTA33-24B1.3

Minimum Order Quantity: 2km Price: negotiate

Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25days

Payment Terms: 30%TT as deposit,70%Balance before

shipping.

• Supply Ability: 100km



Product Specification

• Item No: GYFTY33-24B1.3/12B1.3

• Rodent Protection: Steel Wires Around


Jacket Color: Black PEFiber Type: G.652D

Application: Underwater DisplayArmored: Steel Wires Around

• Highlight: SM OS1 OS2 Fiber Optical Cable,

GYFTY33 HDPE Fiber Optical Cable,

Outdoor Fiber Optical Cable



Anti Rodent Underwater Fiber Optic Cable

Armored Fiber Cable SM OS1 OS2 96 144 288 Core GYFTY33 HDPE with enhanced waterproof and anti-extrusion functions.

Product Specifications


Attribute	Value			
Item No	GYFTY33-24B1.3/12B1.3			
Rodent Protection	Steel wires around			
Jacket Color	Black PE			
Fiber Type	G.652D			
Application	Underwater display			
Armored	Steel wires around			


Product Description

Water-proof GYFTY33 fiber optic cable is based on the GYFTY fiber optic cable structure, with enhanced waterproof and anti-extrusion functions. After being coated with aluminum tape longitudinally, a layer of PE inner sheath is extruded, and then a single layer or double layer thin round steel wire armor is longitudinally wrapped. After installation, the polyethylene outer sheath is finally extruded into a cable.










Fiber Count	Stru ctur e	Diamete r (mm)	Weight (kg/km)	Tensile(N) Long term	Tensile(N) Short term	Crush(N) Long term	Crush(N) Short term	Bending Radius(mm) Static	Bending Radius(mm) Dynamic
2-30	1+5	12.8	268	4000	10000	3000	5000	12.5D	25D

Fiber Parameters (G.652D)

Parameter	Value		
Mode Field Diameter (1310nm)	9.2±0.4 μm		
Mode Field Diameter (1550nm)	10.4±0.8 μm		
Cladding Diameter	125.0±1.0 μm		





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





How to Place an OEM or Customized Order

Send your purchase intention to our email:cotton@fibercablepuls.com

Our sales team will contact you to confirm product specifications, packaging, printing, quantity, and other requirements

Sign the contract or Proforma Invoice

After receiving your deposit, we will arrange production

2 weeks before production completion, we will notify you to arrange shipping

guangzhou fiber cablepuls co ltd

+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China