



ADSS Fiber Optic Cable 12-144 Core SM G652D Double Jacket **HDPE**

Basic Information

. Place of Origin: **GUANGZHOU/CHINA** . Brand Name: PUNAISGD/CABLEPULS

· Certification: ISO/CE/ROSH Model Number: ADSS-144b1.3

• Minimum Order Quantity: 2km • Price: negotiate

· Packaging Details: Wooden Spool /drum

• Delivery Time: 5-25 days

Payment Terms: 30% TT as deposit, 70% Balance before

shipping

• Supply Ability: 100km



Product Specification

. Type: ADSS-144b1.3 · Out Sheath: Double Jacket SM G652D • Fiber: Free Sample · Samples: • Fiber Mode: Single Mode

. Sheath Material: HDPE MDPE(Double Jacket) . Highlight: 96 Core ADSS Fiber Optic Cable, Outdoor ADSS Fiber Optic Cable,

144 Core ADSS Fiber Optic Cable



More Images



Our Product Introduction

ADSS Fiber Optical Cable 12/24/72/96/144 Core Outdoor Non-Metallic Fiber Optic Cable

Product Specifications


Attribute	Value
Туре	ADSS-144b1.3
Outer Sheath	Double Jacket
Fiber	SM G652D
Samples	Free sample
Fiber Mode	Single Mode
Sheath Material	HDPE MDPE (Double jacket)

Product Description

ADSS cable features a loose tube stranded design with 250µm fibers positioned into high modulus plastic tubes filled with water-resistant compound. The tubes are stranded around a non-metallic FRP (Fiber Reinforced Plastic) central strength member, forming a compact circular cable core.

After filling the core, it's covered with a thin PE inner sheath, reinforced with aramid yarn strength members, and completed with either PE or AT (anti-tracking) outer sheath.

Product Images









Key Characteristics

Dielectric material-based strength members with no metallic elements

Special protective gel inside tubes for optimal fiber protection

Durable construction with FRP central members and Dupont aramid yarn


Excellent attenuation performance with high AT capabilities

Reliable performance across temperature variations with anti-aging properties

Technical Parameters

Parameter	6/12/24 Core	48 Core	72 Core	96 Core	144 Core	288 Core
Fiber Configuration	1×6/2×6/4×6	6×8/4×12	6×12	8×12	12×12	24×12
Loose Tube Diameter (mm)	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1	2.0±0.1
FRP Central Member (mm)	2.0	2.0	2.5	2.8	3.7	2.6
Outer Sheath Diameter (mm)	9.5±0.5	10±0.5	12.2±0.5	13.9±0.5	17.1±0.5	20.2±0.5

Manufacturing Facility





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





HOT-SALE PRODUCT





Frequently Asked Questions

Why choose us?

We are a manufacturer based in Guangzhou, China, operating since 2011 with 11-50 employees, serving domestic and international markets.

How do we guarantee quality?

We conduct pre-production sampling and final inspections before shipment to ensure product quality.

Can you ship to my country?

Yes, we can arrange shipping worldwide, either through your forwarder or we can assist with logistics.

Do you offer OEM services?

We accept all OEM orders - contact us with your design requirements for pricing and samples.

What services do you provide?

Delivery Terms: FOB, CIF, EXW

Payment Options: T/T, L/C, D/P, D/A, PayPal, Western Union, Escrow

Languages: English, Chinese





cotton@fibercablepuls.com



e fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China