



## Ftth Drop Cable Dual Core Fiber Optic Cable FTTH 16 GJXFH 2B6A2 Fiber Drop TV Cable G657A 1/2/4/6/12 Core LSZH Jacket

Our Product Introduction

for more products please visit us on [fiberoptical-cables.com](http://fiberoptical-cables.com)

### Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GJXH/GJYXCH
- Minimum Order Quantity: 2km
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25days
- Payment Terms: 30%TT as deposit,70%Balance before shipping.
- Supply Ability: 1000km



### Product Specification

- Laying Method: Aerial
- Applications: Outdoor Ftth Cabling
- Cable Weight: 32KG±1KG
- Installation Tensile: 200N
- Cable Size: Max. 16.0mm
- Installation Temperature: -5°C~+60°C
- Fiber Count: 1-4 Fibers
- Messenger Size: 1.0mm/1.1mm/1.2mm
- Use: FTTX
- Operating Temperature: -40°C To 85°C
- Warranty: 1 Year
- Steel: 0.45mm
- Construction: 2pcs Steels
- Cable Od: 2.0\*5.0mm
- Messenger: 0.5, 1.0, 1.2mm Optional




### Product Description

#### Ftth Drop Cable Dual Core Fiber Optic Cable FTTH 16 GJXFH 2B6A2 Fiber Drop TV Cable G657A 1/2/4/6/12 Core LSZH Jacket

##### Features

1. Special Low-bend-sensitivity fiber provides high bandwidth and excellent communication transmission property
2. Two parallel FRP strength members ensure good performance of crush resistance to protect the fiber
3. Single steel wire as the additional strength member ensures good performance of tensile strength
4. Simplex structure,light weight and high practicability
5. Novel flute design, easily strip and splice,simplify the installation and maintenance
6. Low smoke,zero halogen and flame retardant sheath

Our Product Introduction



DROP CABLES		
FTTH DROP F/D CABLE		
FTTH DROP F/D CABLE SWA		
FTTH AERIAL DROP F/D CABLE		
FTTH AERIAL DROP F/D CABLE SWA		

**cable structure**

1.STEEL WIRE 2.FIBER 3. LSZH JACKAGE

diameter of cable: (2.0±0.2)X(5.0±0.2)mm

type fiber:Singlemode G.657A

2KM/PLYWOOD REEL

REEL SIZE: 40\*40\*37cm

G.W.: 42KG/REEL 2KM/REEL

20KG/KM

Phosphating steel wire :1 \*1.0 mm

Phosphating steel wire: 2\*0.45 mm

PRINTING ON SHEATH: **CABLEPULS 2024 FTTH DROP CABLE XXCORE(G.657A) XXXXm**

\*The marking is printed every 1 meter;

- The color of marking is white, but if the remarking is necessary, the yellow color marking shall be printed newly on a different position.
- An occasional unclear of length marking is permitted if both of the neighboring markings are clear;
- The both cable ends are sealed with heat shrinkable end caps to prevent water ingress.

Item		Unit	Specification
Fier Tyoe		G652D	G652D
Mode filed Diameter	1310nm	μm	9.2±0.4
	1550nm	μm	10.4±0.8
Cladding diameter		μm	125.0±0.1
Cladding non-circularity		%	≤1.0
Core/cladding concentricity error		μm	≤0.5
Coating diameter		μm	245±7
Coating/cladding concentricity error		μm	≤12
Cable cut-off wavelength		μm	≤1260
Attenuation Coefficient	1310nm	db/km	≤0.36
	1550nm	db/km	≤0.22
Proof stress level		kpsi	≥100
Note: Other parameters meet standard ITU-T G.652			


**Cable Marking&Fibers Colors**

COMPANY Fiber cable name N\*cores G.652D 2024 XXXXm


\*The marking is printed every 1 meter;

\*\*\*G.652D\* means ITU-T Rec. Low Water Peak (LWP) G.652 single mode optical fiber..

Also can according to client cable marking.



## Production Supplier Profile



+8613687956390

cotton@fibercabl



## OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



## How do I place an OEM or customized order?

- 1) Send your purchase intention to our email: [cotton@fibercablepuls.com](mailto:cotton@fibercablepuls.com)
- 2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity, and other specific information.
- 3) Sign the contract or Proforma Invoice.
- 4) After receiving your deposit, we will start to arrange the production.

5) 2 weeks before the completion of production, we will notify you to start contacting shipping.

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong  
province,China