



Anti Rodent Fiber Optic Cable GYTA33 24-Core SC Connector 1km MOQ Waterproof Steel Wire Armored Fiber Optic Cable 4-144 Cores For Communication Cables

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

GUANGZHOU/CHINA PUNAISGD/CABLEPULS ISO/CE/ROSH GYXTS-12B1.3 2km negotiable Wooden Spool /drum 5-25days 30%TT as deposit,70%Balance before shipping.



Product Specification

- Item No.:
- Armored Type:
- Strength Member:
- Jacket Material:
- Application:
- Warranty Period:
- Highlight:

GYXTS-12B1.3

- Steel Tape Steel Wire Surround
- PE

100km

- Pipeline
 - 25 Years
 - Waterproof Fiber Optic Cable, 24-Core Fiber Optic Cable



GYTA33 24-Core SC Connector 1km MOQ Waterproof Steel Wire Armored Fiber Optic Cable 4-144 Cores for Communication Cables

GYTA33 fiber optic cable The structure of the GYTA33 optic cable is to sleeve the optical fiber into the PBT loose tube and fill with the thixotropic

compound. The central reinforcement of the cable core is a steel wire (a large core number structure optical cable needs to be extruded with a layer of PE cushion), and the loose tube is twisted around the central reinforcement by SZ stranding. The gaps in the cable core are filled with water-blocking compounds. The outer sheath is armored with a single thin round steel wire and extruded with a layer of polyethylene outer sheath



Key Features

1. Central Loose Tube Design

The optical fibers are housed securely within a central loose tube, offering a compact and stable structure that enhances transmission performance.

2. Steel Wire Armoring

High-strength steel wire armor protects the cable from mechanical damage and external pressure, ensuring excellent tensile strength and durability.

3. Rodent Protection

The armored layer acts as a natural shield against rodent attacks, extending the cable's service life in challenging environments.

4. PE Outer Sheath

The premium Polyethylene (PE) sheath provides superior resistance to moisture, UV rays, and extreme weather, making it ideal for outdoor installations.

5. A-Grade Fiber

Incorporates A-grade fiber with low attenuation and signal loss, ensuring high-speed, stable, and long-distance data transmission.

6. Customizable Options

Available in configurations from 2 to 24 fibers, offering flexibility for various network requirements.

count	Nominal Diameter (mm)	Weight	Max fiber Per tube	tube Diameter	Tensile load	Allowable Crush resistance Long/short (N/10cm)
2-6	6.8	60	2-6	2.5	1000/600	600/300
8-12	7.3	70	8-12	3.0	1000/600	600/300
14-24	7.8	83	14-23	3.6	1000/600	600/300
> 24	Available	upon cu	stomer' s	request		

Applications

Telecommunications Networks: Ideal for backbone networks, metropolitan area networks (MAN), and access networks. Industrial Cabling: Suitable for factories, mines, and other harsh environments.

Railway and Highway Communication Systems: Ensures reliable communication over long distances.

Underground Duct Installations: Resistant to rodent damage and external pressure, perfect for subterranean environments.

Technical Specifications

Why Choose Our Optical Cable?

Manufacturing Excellence: High-tech enterprise with factory-direct quality assurance.

A-Grade Fiber: Ensures superior performance and low signal attenuation.

PE Sheath: Provides robust environmental protection and durability.

Custom Solutions: Flexible customization to meet your specific needs.

Global Service: Reliable partner for fiber optic communication solutions worldwide.

Production Supplier Profile





OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM





How do I place an OEM or customized order?

1) Send your purchase intention to our email: cotton@fibercablepuls.com

2) Our sales team will contact you to confirm the product specification, packaging, printing, quantity,

and other specific information.

3) Sign the contract or Proforma Invoice.

 4) After receiving your deposit, we will start to arrange the production. 5) 2 weeks before the completion of production, we will notify you to start contacting shipping. 	
guangzhou fiber cablepuls co ltd +8613687956390 cotton@fibercablepuls.com fiberoptical-cables.com 925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan InternationalGuangzhou city,Guangdong province,China	