



Double Jacket Direct Burial Fiber Optic Cable Underground For Communication

Our Product Introduction

Basic Information

- Place of Origin: GUANGZHOU/CHINA
- Brand Name: PUNAISGD/CABLEPULS
- Certification: ISO/CE/ROSH
- Model Number: GYFTS53
- Minimum Order Quantity: 2km
- Price: negotiate
- Packaging Details: Wooden Spool /drum
- Delivery Time: 5-25 days
- Payment Terms: 30% TT as deposit, 70% Balance before shipping
- Supply Ability: 100km



Product Specification

- Type: GYFTS53
- Moisture Resistant: Yes
- Temperature Rating: -40°C To 90°C
- Application: Underground
- Jacket Material: PE
- Fiber Count: 72 Cores
- Highlight: **Underground Double Jacket Fiber Optic Cable, Underground Direct Burial Fiber Optic Cable, Communication Direct Burial Fiber Optic Cable**



More Images



for more products please visit us on fiberoptical-cables.com

Product Description

GYFTS53 Fiber Optic Cable Double Jacket Cable For Communication

Product description

The central strength of the GYFTS53 cable emanates from an FRP rod at its core. The cable's construction involves tightly twisting a loose tube and filler rope around this central member, filling any gaps with a water-blocking material. Subsequently, a plastic-coated steel strip is spirally wound and extruded with a polyethylene sheath. The final step in the cable's formation is the longitudinal wrapping of a double-sided plastic-coated steel strip, also extruded with a polyethylene sheath.



Product Details



Product Features

- Provides exceptional mechanical performance and temperature endurance.
- Enclosed by a high-strength, hydrolysis-resistant tube.
- Infused with a unique filling compound for fiber protection.
- Wrapped in a polyethylene sheath that offers UV protection.
- Capable of withstanding compression, fitting for duct and underground use.
- Centered around a single steel wire for structural support.
- Enriched with a special filling compound for fiber optic security.

Packed to the brim, leaving no room for air pockets.
 Furnished with a water-blocking tape to counteract vertical sinking.

Product Parameters

Fiber count	Structure	Fibers per tube	Loose tube diameter (mm)	CSM diameter/pad diameter (mm)	Thickness of inner jacket (mm)	Thickness of outer jacket (mm)	Cable diameter (mm)	Cable Weight (kg/km)
4	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
6	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
8	1+6	4	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
12	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	164
18	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
24	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	165
30	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
36	1+6	6	1.7+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	12.8 ± 0.5	166
48	1+6	12	2.0+0.1	1.8 /1.8	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
60	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	191
72	1+6	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	13.8 ± 0.5	192
84	1+7	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	14.7 ± 0.5	218
96	1+8	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	15.4 ± 0.5	234
108	1+9	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.1 ± 0.5	253
120	1+10	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	16.8 ± 0.5	272
132	1+11	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	17.4 ± 0.5	293
144	1+12	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	18.2 ± 0.5	317
288	1+9+15	12	2.0+0.1	2.0/2.0	0.9 ± 0.1	1.8 ± 0.1	20.1 ± 0.5	383

Learn more about our company and factory

NEWS AND FIBER OPTICAL CABLE SOLUTION

FREE SAMPLES
 ONE-STOP SHOP

PROFESSIONAL PERSISTENCE

OEM FOR WELL-KNOW BRANDS

Experiences

12

Sold to Countries

90+

Cooperative Suppliers

120+

Response Time

≤ 2h

On-time Delivery Rate

99%

SUPPLIER FORTUNE 500 COMPANYS



COMPANY PROFILE



ABOUT FIBER

Guangzhou fiber cablepuls co.,ltd

Fiber cablepuls is one of the high-tech fiber optic cable factories in China that can produce the most complete series of fiber optic cables, equipped with the most advanced fiber optic cable manufacturing, and have the most advanced fiber optic connector production and testing equipment in China.

The factory has obtained SGS ISO9001-2015, ISO14001-2004 and GB/T28001-2001 successively obtained international system certification.

Over the past 12 years, we have provided optical cable products and comprehensive solutions to more than 90 countries and regions around the world, and have received unanimous praise from customers such as foreign telecom departments of the United States, Mexico Telecom, Thailand Telecom, Philippines Telecom, etc.; domestic customers include: China Mobile, the General Administration of Radio, Film and Television, Lenovo, and many other large national enterprises.



OUR PRODUCTION CAPACITY AND QUALITY CONTROL SYSTEM



HOT-SALE PRODUCT





FAQ

1. Why choose us?

We are manufacturer, Located in Guangzhou, China, started from 2011, sell to Domestic Market(100.00%). There are total about 11-50 people in our factory.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3. Can you send products to my country?

Sure, we can. If you do not have your own ship forwarder, we can help you.

4. Can you do OEM for me?

We accept all OEM orders, just contact us and give me your design. we will offer you a reasonable price and make samples for you.

5. what services can we provide?

Accepted Delivery Terms: FOB, CIF, EXW

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T, L/C, D/P D/A, PayPal, Western Union, Escrow;

Language Spoken: English, Chinese



guangzhou fiber cablepuls co ltd



+8613687956390



cotton@fibercablepuls.com



fiberoptical-cables.com

925-926, Building B1, No. 2 Chuanghui Avenue, Yonghe Yushan International Guangzhou city, Guangdong province, China